



ENTSO-E CORRIGENDUM TO ECAN, ACKNOWLEDGEMENT, ESR AND ESP IMPLEMENTATION GUIDES

2013-12-03

DOCUMENT APPROVED

2 **TABLE OF CONTENTS**

3	1	OBJECTIVE.....	6
4	2	BASIC CHANGES.....	7
5	3	XML SCHEMA CONTENT CHANGES.....	8
6	4	OTHER CHANGES.....	8
7	5	ECAN	9
8	5.1	CAPACITY DOCUMENT	9
9	5.1.1	XML SCHEMA STRUCTURE	9
10	5.1.2	XML SCHEMA	10
11	5.1.3	RESTRICTED CODELIST.....	12
12	5.2	CAPACITY AUCTION SPECIFICATION DOCUMENT	15
13	5.2.1	XML SCHEMA STRUCTURE	15
14	5.2.2	XML SCHEMA	16
15	5.2.3	RESTRICTED CODELIST.....	20
16	5.3	BID DOCUMENT	23
17	5.3.1	XML SCHEMA STRUCTURE	23
18	5.3.2	XML SCHEMA	24
19	5.3.3	RESTRICTED CODELIST.....	26
20	5.4	ALLOCATION RESULT DOCUMENT	28
21	5.4.1	XML SCHEMA STRUCTURE	28
22	5.4.2	XML SCHEMA	29
23	5.4.3	RESTRICTED CODELIST.....	32
24	5.5	TOTAL ALLOCATION RESULT DOCUMENT.....	33
25	5.5.1	RULES GOVERNING THE NoBidAUCTIONTIMESERIES CLASS.....	33
26	5.5.1.1	IDENTIFICATION.....	33
27	5.5.1.2	AUCTIONIDENTIFICATION	34
28	5.5.1.3	CLASSIFICATIONCATEGORY	34
29	5.5.2	XML SCHEMA STRUCTURE	35
30	5.5.3	XML SCHEMA	35
31	5.5.4	RESTRICTED CODELIST.....	39
32	5.6	IMPLICIT AUCTION RESULT DOCUMENT	41
33	5.6.1	XML SCHEMA STRUCTURE	41
34	5.6.2	XML SCHEMA	42
35	5.6.3	RESTRICTED CODELIST.....	44
36	5.7	PUBLICATION DOCUMENT	46
37	5.7.1	RULES GOVERNING THE WINNERS CLASS.....	46
38	5.7.1.1	IDENTIFICATION.....	46
39	5.7.2	XML SCHEMA STRUCTURE	47
40	5.7.3	XML SCHEMA	47
41	5.7.4	RESTRICTED CODELIST.....	51
42	5.8	RIGHTS DOCUMENT.....	53
43	5.8.1	XML SCHEMA STRUCTURE	53
44	5.8.2	XML SCHEMA	54
45	5.8.3	RESTRICTED CODELIST.....	57
46	6	ESP	59
47	6.1	ENERGY ACCOUNT REPORT	59
48	6.1.1	XML SCHEMA STRUCTURE	59
49	6.1.2	XML SCHEMA	60
50	6.1.3	RESTRICTED CODELIST.....	62

51	7	ESR	65
52	7.1	STATUS REQUEST.....	65
53	7.1.1	XML SCHEMA STRUCTURE	65
54	7.1.2	XML SCHEMA	66
55	7.1.3	RESTRICTED CODELIST.....	67
56	8	ACKNOWLEDGEMENT.....	68
57	8.1	ACKNOWLEDGEMENT DOCUMENT.....	68
58	8.1.1	XML SCHEMA STRUCTURE	68
59	8.1.2	XML SCHEMA	69
60	8.1.3	RESTRICTED CODELIST.....	71
61			

62 TABLE OF FIGURES

63	FIGURE 1: CAPACITY DOCUMENT STRUCTURE	9
64	FIGURE 2: CAPACITY AUCTION SPECIFICATION DOCUMENT STRUCTURE	15
65	FIGURE 3: BID DOCUMENT STRUCTURE.....	23
66	FIGURE 4: ALLOCATION RESULT DOCUMENT STRUCTURE.....	28
67	FIGURE 5: TOTAL ALLOCATION RESULT DOCUMENT STRUCTURE	35
68	FIGURE 6: IMPLICIT AUCTION RESULT DOCUMENT STRUCTURE	41
69	FIGURE 7: PUBLICATION DOCUMENT STRUCTURE	47
70	FIGURE 8: RIGHTS DOCUMENT STRUCTURE.....	53
71	FIGURE 9: ENERGY ACCOUNT REPORT DOCUMENT STRUCTURE.....	59
72	FIGURE 10: STATUS REQUEST DOCUMENT STRUCTURE	65
73	FIGURE 12: ACKNOWLEDGMENT DOCUMENT STRUCTURE.....	68
74		

75 REFERENCES

- 76 1. ENTSO-E XML Namespace Reference Document.

77

Copyright notice:

78 Copyright © ENTSO-E. All Rights Reserved.

79 This document and its whole translations may be copied and furnished to others, and
80 derivative works that comment on or otherwise explain it or assist in its implementation
81 may be prepared, copied, published and distributed, in whole or in part, without restriction
82 of any kind, provided that the above copyright notice and this paragraph are included on
83 all such copies and derivative works. However, this document itself may not be modified in
84 any way, except for literal and whole translation into languages other than English and
85 under all circumstances, the copyright notice or references to ENTSO-E may not be
86 removed.

87 This document and the information contained herein is provided on an "as is" basis.

88 ENTSO-E DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT
89 NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN
90 WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF
91 MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

92 **This document is maintained by the ENTSO-E WG EDI. Comments or remarks are to
93 be provided at EDI.Library@entsoe.eu**

94

Revision History

Version	Release	Date	Paragraphs	Comments
1	0	2013-12-03		Approved by Market Committee on 2013-12-12.

95

NOTE CONCERNING WORDING USED IN THIS DOCUMENT

96 The force of the following words is modified by the requirement level of the document in
97 which they are used.

- 99
- 100 • MUST: This word, or the terms “REQUIRED” or “SHALL”, means that the definition is an absolute requirement of the specification.
 - 101 • MUST NOT: This phrase, or the phrase “SHALL NOT”, means that the definition is an absolute prohibition of the specification.
 - 103 • SHOULD: This word, or the adjective “RECOMMENDED”, means that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
 - 107 • SHOULD NOT: This phrase, or the phrase “NOT RECOMMENDED”, means that there may exist valid reasons in particular circumstances when the particular behaviour is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behaviour described with this label.
 - 111 • MAY: This word, or the adjective “OPTIONAL”, means that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation which does not include a particular option MUST be prepared to interoperate with another implementation which does include the option, though perhaps with reduced functionality. In the same vein an implementation which does include a particular option MUST be prepared to interoperate with another implementation which does not include the option (except, of course, for the feature the option provides.)
 - 120 • DEPRECATED: this word means that a previously permitted entity should no longer be used in new implementations as in a future release the object in question may be suppressed.
- 121

123 1 OBJECTIVE

124 The objective of this corrigendum is to bring the outstanding ENTSO-E process XML
125 schemas defined by WG EDI into line with the approved namespace reference document
126 [reference 1] and in particular the restriction/extension rules.

127 Following the approval by the Market Committee of the namespace reference document,
128 newly issued releases of the WG EDI implementation guides have taken into account the
129 necessary changes to comply with these rules. However, for some processes there is no
130 current requirement to update its implementation guide and thus the new rules (approved
131 namespace and the extension/restriction procedures) have not been complied with. These
132 processes are as follows:

- 133 1. The ENTSO-E Capacity Allocation and Nomination (ECAN) process Version 5.0;
- 134 2. The ENTSO-E Settlement and Reconciliation (ESP) process Version 1.2;
- 135 3. The ENTSO-E Status Request (ESR) process Version 2.0;
- 136 4. The Acknowledgement process Version 5.1;

137 In addition, for all the XML schema datatypes that contain the word “message”, the word
138 “message” has been replaced with the word “document”.

139 The four above mentioned implementation guides shall be updated with the information
140 contained in this corrigendum as soon as possible to produce:

- 141 1. ECAN 6.0.
- 142 2. ESP 2.0.
- 143 3. ESR 3.0
- 144 4. Acknowledgement 6.0

145 2 BASIC CHANGES

146 The header of every XML schema has been changed.

147 **Current situation:** The header of the existing XML schemas is as follows:

```
<xsd:schema xmlns:ecc="etso-core-cmpts.xsd" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
elementFormDefault="qualified">
<xsd:import namespace="etso-core-cmpts.xsd" schemaLocation="../core/etso-core-cmpts.xsd"/>
```

148 Where:

- 150 • - The core component namespace is "etso-core-cmpts.xsd"

151 **New situation:**

- 152 1. The XML namespace for the core components has been standardised to "urn:entsoe-eu:wgedi:components".
- 154 2. A default targetNameSpace and restricted codelist for the XML schema in has been added.
- 156 3. The implicit attributes associated with the document, DtdVersion and DtdRelease, have been removed as they appear in the targetNamespace of the document.

158 Where:

- 159 • "process" is replaced by the given process, for example "esr", "esp", "acknowledgement", etc.
- 161 • "xmldocument" is replaced by the name of the schema document, for example "statusrequestdocument", "energyaccountreport", "acknowledgementdocument", etc
- 164 • "version" is replaced by the version of the document.
- 165 • "release" is replaced by the release of the document.
- 166 ▪ The restricted codelist for the XML schema in question has been added.
- 167 ▪ The "include" statement includes all the codelist restrictions that are to be applied during XML schema validation.

169 This then gives the following formulation:

```
<xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns="urn:entsoe.eu:wgedi:process:document:version:release"
  targetNamespace="urn:entsoe.eu:wgedi:process:document:version:release"
  elementFormDefault="qualified" attributeFormDefault="unqualified">
  <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../core/urn-entsoe-eu-wgedi-components.xsd"/>
  <xsd:include schemaLocation="urn-entsoe-eu-wgedi-process-document-version-release-restricted-codes.xsd"/>
```

170

171 **3 XML SCHEMA CONTENT CHANGES**

172 The only other changes to the XML schema content concern the codelist datatype that is to
173 be applied to the given XML element.

174 For example if there is no restriction to be applied to codes for the documentType the XML
175 schema statement is as follows:

176 <xsd:element name="DocumentType" type="ecc:DocumentType">

177 If however there are restrictions that only allow a limited number of codes as expressed in
178 the restrictions XML Schema then the statement is as follows:

179 <xsd:element name="DocumentType" type="DocumentType">

180 In other words, in the first case, the codelist is taken from the "ecc" namespace while in the
181 other case the codelist is taken from the default namespace which in fact means the
182 restricted codelist.

183 **4 OTHER CHANGES**


184 In ECAN, for the Total Allocation Result Document, the indication that an auction has had no
185 bids has been added.

186 In ECAN, the Publication Document has had the possibility to provide the list of winners
187 added to it.

188 5 ECAN

189 5.1 CAPACITY DOCUMENT

190 5.1.1 XML SCHEMA STRUCTURE



191

192

FIGURE 1: CAPACITY DOCUMENT STRUCTURE

193 5.1.2 XML SCHEMA

```

194 <?xml version="1.0" encoding="UTF-8"?>
195 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
196   xmlns="urn:entsoe.eu:wgedi:ecan:capacitydocument:6:0" targetNamespace="urn:entsoe.eu:wgedi:ecan:capacitydocument:6:0"
197   elementFormDefault="qualified" attributeFormDefault="unqualified">
198     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
199 components.xsd"/>
200     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-capacitydocument-6-0-restricted-codes.xsd"/>
201     <!--
202       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
203       Generation tool version 2.0
204     -->
205     <xsd:complexType name="Period_Type">
206       <xsd:annotation>
207         <xsd:documentation/>
208       </xsd:annotation>
209       <xsd:sequence>
210         <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
211           <xsd:annotation>
212             <xsd:documentation/>
213           </xsd:annotation>
214         </xsd:element>
215         <xsd:element name="Resolution" type="ecc:ResolutionType">
216           <xsd:annotation>
217             <xsd:documentation/>
218           </xsd:annotation>
219         </xsd:element>
220         <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded">
221           </xsd:sequence>
222         </xsd:complexType>
223         <xsd:complexType name="Interval_Type">
224           <xsd:annotation>
225             <xsd:documentation/>
226           </xsd:annotation>
227           <xsd:sequence>
228             <xsd:element name="Pos" type="ecc:PositionType">
229               <xsd:annotation>
230                 <xsd:documentation/>
231               </xsd:annotation>
232             </xsd:element>
233             <xsd:element name="Qty" type="ecc:QuantityType">
234               <xsd:annotation>
235                 <xsd:documentation/>
236               </xsd:annotation>
237             </xsd:element>
238             <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded">
239               </xsd:sequence>
240             </xsd:complexType>
241             <xsd:complexType name="CapacityTimeSeries_Type">
242               <xsd:annotation>
243                 <xsd:documentation/>
244               </xsd:annotation>
245               <xsd:sequence>
246                 <xsd:element name="TimeSeriesIdentification" type="ecc:IdentificationType">
247                   <xsd:annotation>
248                     <xsd:documentation/>
249                   </xsd:annotation>
250                 </xsd:element>
251                 <xsd:element name="BusinessType" type="BusinessType">
252                   <xsd:annotation>
253                     <xsd:documentation/>
254                   </xsd:annotation>
255                 </xsd:element>
256                 <xsd:element name="Product" type="ecc:EnergyProductType">
257                   <xsd:annotation>
258                     <xsd:documentation/>
259                   </xsd:annotation>
260                 </xsd:element>
261                 <xsd:element name="InArea" type="ecc:AreaType">
```

```

262                     <xsd:annotation>
263                         <xsd:documentation/>
264                     </xsd:annotation>
265                 </xsd:element>
266             <xsd:element name="OutArea" type="ecc:AreaType">
267                 <xsd:annotation>
268                     <xsd:documentation/>
269                 </xsd:annotation>
270             </xsd:element>
271             <xsd:element name="MeasureUnit" type="ecc:UnitOfMeasureType">
272                 <xsd:annotation>
273                     <xsd:documentation/>
274                 </xsd:annotation>
275             </xsd:element>
276             <xsd:element name="AuctionIdentification" type="ecc:IdentificationType" minOccurs="0">
277                 <xsd:annotation>
278                     <xsd:documentation/>
279                 </xsd:annotation>
280             </xsd:element>
281             <xsd:element name="CurveType" type="CurveType" minOccurs="0">
282                 <xsd:annotation>
283                     <xsd:documentation/>
284                 </xsd:annotation>
285             </xsd:element>
286             <xsd:element name="ClassificationCategory" type="CategoryType" minOccurs="0">
287                 <xsd:annotation>
288                     <xsd:documentation/>
289                 </xsd:annotation>
290             </xsd:element>
291             <xsd:element name="ConnectingLine" type="ecc:LineType" minOccurs="0">
292                 <xsd:annotation>
293                     <xsd:documentation/>
294                 </xsd:annotation>
295             </xsd:element>
296             <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
297         </xsd:sequence>
298     </xsd:complexType>
299     <xsd:element name="CapacityDocument">
300         <xsd:complexType>
301             <xsd:annotation>
302                 <xsd:documentation/>
303             </xsd:annotation>
304             <xsd:sequence>
305                 <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
306                     <xsd:annotation>
307                         <xsd:documentation/>
308                     </xsd:annotation>
309                 </xsd:element>
310                 <xsd:element name="DocumentVersion" type="ecc:VersionType">
311                     <xsd:annotation>
312                         <xsd:documentation/>
313                     </xsd:annotation>
314                 </xsd:element>
315                 <xsd:element name="DocumentType" type="DocumentType">
316                     <xsd:annotation>
317                         <xsd:documentation/>
318                     </xsd:annotation>
319                 </xsd:element>
320                 <xsd:element name="ProcessType" type="ProcessType">
321                     <xsd:annotation>
322                         <xsd:documentation/>
323                     </xsd:annotation>
324                 </xsd:element>
325                 <xsd:element name="SenderIdentification" type="ecc:PartyType">
326                     <xsd:annotation>
327                         <xsd:documentation/>
328                     </xsd:annotation>
329                 </xsd:element>
330                 <xsd:element name="SenderRole" type="ecc:RoleType">
331                     <xsd:annotation>
332                         <xsd:documentation/>

```

```

333                               </xsd:annotation>
334                         </xsd:element>
335                         <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
336                           <xsd:annotation>
337                             <xsd:documentation/>
338                           </xsd:annotation>
339                         </xsd:element>
340                         <xsd:element name="ReceiverRole" type="ecc:RoleType">
341                           <xsd:annotation>
342                             <xsd:documentation/>
343                           </xsd:annotation>
344                         </xsd:element>
345                         <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
346                           <xsd:annotation>
347                             <xsd:documentation/>
348                           </xsd:annotation>
349                         </xsd:element>
350                         <xsd:element name="CapacityTimeInterval" type="ecc:TimeIntervalType">
351                           <xsd:annotation>
352                             <xsd:documentation/>
353                           </xsd:annotation>
354                         </xsd:element>
355                         <xsd:element name="Domain" type="ecc:AreaType">
356                           <xsd:annotation>
357                             <xsd:documentation/>
358                           </xsd:annotation>
359                         </xsd:element>
360                         <xsd:element name="CapacityTimeSeries" type="CapacityTimeSeries_Type">
361                           minOccurs="0" maxOccurs="unbounded"/>
362                           <xsd:element name="Reason" type="Reason_Type" minOccurs="0"
363                           maxOccurs="unbounded"/>
364                             </xsd:sequence>
365                           </xsd:complexType>
366                         </xsd:element>
367                         <xsd:complexType name="Reason_Type">
368                           <xsd:annotation>
369                             <xsd:documentation/>
370                           </xsd:annotation>
371                           <xsd:sequence>
372                             <xsd:element name="ReasonCode" type="ReasonCodeType">
373                               <xsd:annotation>
374                                 <xsd:documentation/>
375                               </xsd:annotation>
376                             </xsd:element>
377                             <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
378                               <xsd:annotation>
379                                 <xsd:documentation/>
380                               </xsd:annotation>
381                             </xsd:element>
382                           </xsd:sequence>
383                         </xsd:complexType>
384                       </xsd:schema>

```

5.1.3 RESTRICTED CODELIST

```

386 <?xml version="1.0" encoding="UTF-8"?>
387 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
388   elementFormDefault="qualified" attributeFormDefault="unqualified">
389     <!-- import the codelists -->
390     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
391 codelists.xsd"/>
392     <!-- include the local message restrictions -->
393     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-capacitydocument-6-0-local-restrictions.xsd"/>
394     <!-- restricted codelists -->
395     <xsd:complexType name="DocumentType">
396       <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
397     </xsd:complexType>
398     <xsd:simpleType name="StandardRestrictedDocumentType">
399       <xsd:restriction base="ecl:StandardDocumentTypeList">
400         <xsd:enumeration value="A13"/>

```

VERSION: 1

```


401                     <xsd:enumeration value="A31"/>
402                     <xsd:enumeration value="A32"/>
403                 </xsd:restriction>
404             </xsd:simpleType>
405             <xsd:simpleType name="RestrictedDocumentType">
406                 <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
407             </xsd:simpleType>
408             <xsd:complexType name="ProcessType">
409                 <xsd:attribute name="v" type="RestrictedProcessType" use="required"/>
410             </xsd:complexType>
411             <xsd:simpleType name="StandardRestrictedProcessType">
412                 <xsd:restriction base="ecl:StandardProcessTypeList">
413                     <xsd:enumeration value="A07"/>
414                     <xsd:enumeration value="A15"/>
415                 </xsd:restriction>
416             </xsd:simpleType>
417             <xsd:simpleType name="RestrictedProcessType">
418                 <xsd:union memberTypes="StandardRestrictedProcessType LocalRestrictedProcessType"/>
419             </xsd:simpleType>
420             <xsd:complexType name="BusinessType">
421                 <xsd:attribute name="v" type="RestrictedBusinessType" use="required"/>
422             </xsd:complexType>
423             <xsd:simpleType name="StandardRestrictedBusinessType">
424                 <xsd:restriction base="ecl:StandardBusinessTypeList">
425                     <xsd:enumeration value="A25"/>
426                     <xsd:enumeration value="A26"/>
427                     <xsd:enumeration value="A27"/>
428                     <xsd:enumeration value="A29"/>
429                     <xsd:enumeration value="A31"/>
430                     <xsd:enumeration value="A41"/>
431                 </xsd:restriction>
432             </xsd:simpleType>
433             <xsd:simpleType name="RestrictedBusinessType">
434                 <xsd:union memberTypes="StandardRestrictedBusinessType LocalRestrictedBusinessType"/>
435             </xsd:simpleType>
436             <xsd:complexType name="CurveType">
437                 <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
438             </xsd:complexType>
439             <xsd:simpleType name="StandardRestrictedCurveType">
440                 <xsd:restriction base="ecl:StandardCurveTypeList">
441                     <xsd:enumeration value="A01"/>
442                     <xsd:enumeration value="A03"/>
443                 </xsd:restriction>
444             </xsd:simpleType>
445             <xsd:simpleType name="RestrictedCurveType">
446                 <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
447             </xsd:simpleType>
448             <xsd:complexType name="CategoryType">
449                 <xsd:attribute name="v" type="RestrictedCategoryType" use="required"/>
450             </xsd:complexType>
451             <xsd:simpleType name="StandardRestrictedCategoryType">
452                 <xsd:restriction base="ecl:StandardCategoryTypeList">
453                     <xsd:enumeration value="A01"/>
454                     <xsd:enumeration value="A02"/>
455                     <xsd:enumeration value="A03"/>
456                 </xsd:restriction>
457             </xsd:simpleType>
458             <xsd:simpleType name="RestrictedCategoryType">
459                 <xsd:union memberTypes="StandardRestrictedCategoryType LocalRestrictedCategoryType"/>
460             </xsd:simpleType>
461             <xsd:complexType name="ReasonCodeType">
462                 <xsd:attribute name="v" type="RestrictedReasonCodeType" use="required"/>
463             </xsd:complexType>
464             <xsd:simpleType name="StandardRestrictedReasonCodeType">
465                 <xsd:restriction base="ecl:StandardReasonCodeTypeList">
466                     <xsd:enumeration value="A70"/>
467                     <xsd:enumeration value="A97"/>
468                     <xsd:enumeration value="A98"/>
469                 </xsd:restriction>
470             </xsd:simpleType>
471             <xsd:simpleType name="RestrictedReasonCodeType">
```

VERSION: 1

```
472           <xsd:union memberTypes="StandardRestrictedReasonCodeType LocalRestrictedReasonCodeType"/>
473           </xsd:simpleType>
474       </xsd:schema>
```

475 5.2 CAPACITY AUCTION SPECIFICATION DOCUMENT

476 5.2.1 XML SCHEMA STRUCTURE



477

478

FIGURE 2: CAPACITY AUCTION SPECIFICATION DOCUMENT STRUCTURE

479 5.2.2 XML SCHEMA

```

480 <?xml version="1.0" encoding="UTF-8"?>
481 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
482   xmlns="urn:entsoe.eu:wgedi:ecan:auctionspecificationdocument:6:0"
483   targetNamespace="urn:entsoe.eu:wgedi:ecan:auctionspecificationdocument:6:0" elementFormDefault="qualified"
484   attributeFormDefault="unqualified">
485     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
486 components.xsd"/>
487     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-auctionspecificationdocument-6-0-restricted-codes.xsd"/>
488     <!--
489       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
490       Generation tool version 2.0
491       --
492     <xsd:complexType name="Interval_Type">
493       <xsd:annotation>
494         <xsd:documentation/>
495       </xsd:annotation>
496       <xsd:sequence>
497         <xsd:element name="Pos" type="ecc:PositionType">
498           <xsd:annotation>
499             <xsd:documentation/>
500           </xsd:annotation>
501         </xsd:element>
502         <xsd:element name="Qty" type="ecc:QuantityType">
503           <xsd:annotation>
504             <xsd:documentation/>
505           </xsd:annotation>
506         </xsd:element>
507       </xsd:sequence>
508     </xsd:complexType>
509     <xsd:complexType name="Period_Type">
510       <xsd:annotation>
511         <xsd:documentation/>
512       </xsd:annotation>
513       <xsd:sequence>
514         <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
515           <xsd:annotation>
516             <xsd:documentation/>
517           </xsd:annotation>
518         </xsd:element>
519         <xsd:element name="Resolution" type="ecc:ResolutionType">
520           <xsd:annotation>
521             <xsd:documentation/>
522           </xsd:annotation>
523         </xsd:element>
524         <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded">
525           <xsd:sequence>
526         </xsd:complexType>
527         <xsd:complexType name="AuctionTimeSeries_Type">
528           <xsd:annotation>
529             <xsd:documentation/>
530           </xsd:annotation>
531           <xsd:sequence>
532             <xsd:element name="AuctionIdentification" type="ecc:IdentificationType">
533               <xsd:annotation>
534                 <xsd:documentation/>
535               </xsd:annotation>
536             </xsd:element>
537             <xsd:element name="BusinessType" type="BusinessType">
538               <xsd:annotation>
539                 <xsd:documentation/>
540               </xsd:annotation>
541             </xsd:element>
542             <xsd:element name="AuctionType" type="AuctionType">
543               <xsd:annotation>
544                 <xsd:documentation/>
545               </xsd:annotation>
546             </xsd:element>
547             <xsd:element name="BiddingPeriod" type="ecc:TimeIntervalType">
```

```

548      <xsd:annotation>
549          <xsd:documentation>
550      </xsd:annotation>
551  </xsd:element>
552  <xsd:element name="ClassificationCategory" type="CategoryType">
553      <xsd:annotation>
554          <xsd:documentation>
555      </xsd:annotation>
556  </xsd:element>
557  <xsd:element name="InArea" type="ecc:AreaType">
558      <xsd:annotation>
559          <xsd:documentation>
560      </xsd:annotation>
561  </xsd:element>
562  <xsd:element name="OutArea" type="ecc:AreaType">
563      <xsd:annotation>
564          <xsd:documentation>
565      </xsd:annotation>
566  </xsd:element>
567  <xsd:element name="ContractType" type="ContractType">
568      <xsd:annotation>
569          <xsd:documentation>
570      </xsd:annotation>
571  </xsd:element>
572  <xsd:element name="DeliveryPeriod" type="ecc:TimeIntervalType">
573      <xsd:annotation>
574          <xsd:documentation>
575      </xsd:annotation>
576  </xsd:element>
577  <xsd:element name="AllocationMode" type="AllocationModeType">
578      <xsd:annotation>
579          <xsd:documentation>
580      </xsd:annotation>
581  </xsd:element>
582  <xsd:element name="PaymentTerms" type="PaymentTermsType">
583      <xsd:annotation>
584          <xsd:documentation>
585      </xsd:annotation>
586  </xsd:element>
587  <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType">
588      <xsd:annotation>
589          <xsd:documentation>
590      </xsd:annotation>
591  </xsd:element>
592  <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType">
593      <xsd:annotation>
594          <xsd:documentation>
595      </xsd:annotation>
596  </xsd:element>
597  <xsd:element name="Currency" type="ecc:CurrencyType">
598      <xsd:annotation>
599          <xsd:documentation>
600      </xsd:annotation>
601  </xsd:element>
602  <xsd:element name="NotificationDateTime" type="ecc:DateTimeType">
603      <xsd:annotation>
604          <xsd:documentation>
605      </xsd:annotation>
606  </xsd:element>
607  <xsd:element name="ContestationEndDateTime" type="ecc:DateTimeType">
608      <xsd:annotation>
609          <xsd:documentation>
610      </xsd:annotation>
611  </xsd:element>
612  <xsd:element name="PublicationDateTime" type="ecc:DateTimeType">
613      <xsd:annotation>
614          <xsd:documentation>
615      </xsd:annotation>
616  </xsd:element>
617  <xsd:element name="ResaleLimitDateTime" type="ecc:DateTimeType" minOccurs="0">
618      <xsd:annotation>

```

```

619                               <xsd:documentation/>
620                         </xsd:annotation>
621                     </xsd:element>
622             <xsd:element name="CurveType" type="CurveType">
623               <xsd:annotation>
624                 <xsd:documentation/>
625               </xsd:annotation>
626             </xsd:element>
627             <xsd:element name="Cancelled" type="IndicatorType" minOccurs="0">
628               <xsd:annotation>
629                 <xsd:documentation/>
630               </xsd:annotation>
631             </xsd:element>
632             <xsd:element name="Period" type="Period_Type" minOccurs="0" maxOccurs="unbounded"/>
633             <xsd:element name="AuctionDescription" type="AuctionDescription_Type" minOccurs="0"
634 maxOccurs="unbounded"/>
635               <xsd:element name="RightsCharacteristics" type="RightsCharacteristics_Type" minOccurs="0"
636 maxOccurs="unbounded"/>
637                 <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
638               </xsd:sequence>
639             </xsd:complexType>
640           <xsd:element name="CapacityAuctionSpecificationDocument">
641             <xsd:complexType>
642               <xsd:annotation>
643                 <xsd:documentation/>
644               </xsd:annotation>
645             <xsd:sequence>
646               <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
647                 <xsd:annotation>
648                   <xsd:documentation/>
649                 </xsd:annotation>
650               </xsd:element>
651               <xsd:element name="DocumentVersion" type="ecc:VersionType">
652                 <xsd:annotation>
653                   <xsd:documentation/>
654                 </xsd:annotation>
655               </xsd:element>
656               <xsd:element name="DocumentType" type="DocumentType">
657                 <xsd:annotation>
658                   <xsd:documentation/>
659                 </xsd:annotation>
660               </xsd:element>
661               <xsd:element name="ProcessType" type="ProcessType">
662                 <xsd:annotation>
663                   <xsd:documentation/>
664                 </xsd:annotation>
665               </xsd:element>
666               <xsd:element name="SenderIdentification" type="ecc:PartyType">
667                 <xsd:annotation>
668                   <xsd:documentation/>
669                 </xsd:annotation>
670               </xsd:element>
671               <xsd:element name="SenderRole" type="SenderRoleType">
672                 <xsd:annotation>
673                   <xsd:documentation/>
674                 </xsd:annotation>
675               </xsd:element>
676               <xsd:element name="ReceiverIdentification" type="ecc:PartyType" minOccurs="0">
677                 <xsd:annotation>
678                   <xsd:documentation/>
679                 </xsd:annotation>
680               </xsd:element>
681               <xsd:element name="ReceiverRole" type="RoleType" minOccurs="0">
682                 <xsd:annotation>
683                   <xsd:documentation/>
684                 </xsd:annotation>
685               </xsd:element>
686               <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
687                 <xsd:annotation>
688                   <xsd:documentation/>
689                 </xsd:annotation>

```

VERSION: 1

```

690      </xsd:element>
691      <xsd:element name="DocumentTimeInterval" type="ecc:TimeIntervalType">
692          <xsd:annotation>
693              <xsd:documentation/>
694          </xsd:annotation>
695      </xsd:element>
696      <xsd:element name="Domain" type="ecc:AreaType">
697          <xsd:annotation>
698              <xsd:documentation/>
699          </xsd:annotation>
700      </xsd:element>
701      <xsd:element name="AuctionTimeSeries" type="AuctionTimeSeries_Type"
702 maxOccurs="unbounded"/>
703          </xsd:sequence>
704      </xsd:complexType>
705      <xsd:element>
706          <xsd:complexType name="AuctionDescription_Type">
707              <xsd:annotation>
708                  <xsd:documentation/>
709              </xsd:annotation>
710              <xsd:sequence>
711                  <xsd:element name="LineNo" type="ecc:PositionType">
712                      <xsd:annotation>
713                          <xsd:documentation/>
714                      </xsd:annotation>
715                  </xsd:element>
716                  <xsd:element name="LineText" type="ecc:ReasonTextType">
717                      <xsd:annotation>
718                          <xsd:documentation/>
719                      </xsd:annotation>
720                  </xsd:element>
721              </xsd:sequence>
722          </xsd:complexType>
723          <xsd:complexType name="RightsCharacteristics_Type">
724              <xsd:annotation>
725                  <xsd:documentation/>
726              </xsd:annotation>
727              <xsd:sequence>
728                  <xsd:element name="RightsType" type="RightsType">
729                      <xsd:annotation>
730                          <xsd:documentation/>
731                      </xsd:annotation>
732                  </xsd:element>
733              </xsd:sequence>
734          </xsd:complexType>
735          <xsd:complexType name="Reason_Type">
736              <xsd:annotation>
737                  <xsd:documentation/>
738              </xsd:annotation>
739              <xsd:sequence>
740                  <xsd:element name="Reasoncode" type="ecc:ReasonCodeType">
741                      <xsd:annotation>
742                          <xsd:documentation/>
743                      </xsd:annotation>
744                  </xsd:element>
745                  <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
746                      <xsd:annotation>
747                          <xsd:documentation/>
748                      </xsd:annotation>
749                  </xsd:element>
750              </xsd:sequence>
751          </xsd:complexType>
752      </xsd:schema>
```

753 5.2.3 RESTRICTED CODELIST

```

754 <?xml version="1.0" encoding="UTF-8"?>
755 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
756 elementFormDefault="qualified" attributeFormDefault="unqualified">
757     <!-- import the codelists -->
758     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
759 codelists.xsd"/>
760     <!-- include the local message restrictions -->
761     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-auctionsSpecificationDocument-6-0-local-restrictions.xsd"/>
762     <!-- restricted codelists -->
763     <xsd:complexType name="DocumentType">
764         <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
765     </xsd:complexType>
766     <xsd:simpleType name="StandardRestrictedDocumentType">
767         <xsd:restriction base="ecl:StandardDocumentTypeList">
768             <xsd:enumeration value="A51"/>
769         </xsd:restriction>
770     </xsd:simpleType>
771     <xsd:simpleType name="RestrictedDocumentType">
772         <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
773     </xsd:simpleType>
774     <xsd:complexType name="ProcessType">
775         <xsd:attribute name="v" type="RestrictedProcessType" use="required"/>
776     </xsd:complexType>
777     <xsd:simpleType name="StandardRestrictedProcessType">
778         <xsd:restriction base="ecl:StandardProcessTypeList">
779             <xsd:enumeration value="A07"/>
780         </xsd:restriction>
781     </xsd:simpleType>
782     <xsd:simpleType name="RestrictedProcessType">
783         <xsd:union memberTypes="StandardRestrictedProcessType LocalRestrictedProcessType"/>
784     </xsd:simpleType>
785     <xsd:complexType name="RoleType">
786         <xsd:attribute name="v" type="RestrictedRoleType" use="required"/>
787     </xsd:complexType>
788     <xsd:simpleType name="StandardRestrictedRoleType">
789         <xsd:restriction base="ecl:StandardRoleTypeList">
790             <xsd:enumeration value="A04"/>
791             <xsd:enumeration value="A29"/>
792             <xsd:enumeration value="A32"/>
793         </xsd:restriction>
794     </xsd:simpleType>
795     <xsd:simpleType name="RestrictedRoleType">
796         <xsd:union memberTypes="StandardRestrictedRoleType LocalRestrictedRoleType"/>
797     </xsd:simpleType>
798     <xsd:complexType name="SenderRoleType">
799         <xsd:attribute name="v" type="RestrictedSenderRoleType" use="required"/>
800     </xsd:complexType>
801     <xsd:simpleType name="StandardRestrictedSenderRoleType">
802         <xsd:restriction base="ecl:StandardRoleTypeList">
803             <xsd:enumeration value="A07"/>
804         </xsd:restriction>
805     </xsd:simpleType>
806     <xsd:simpleType name="RestrictedSenderRoleType">
807         <xsd:union memberTypes="StandardRestrictedSenderRoleType LocalRestrictedSenderRoleType"/>
808     </xsd:simpleType>
809     <xsd:complexType name="BusinessType">
810         <xsd:attribute name="v" type="RestrictedBusinessType" use="required"/>
811     </xsd:complexType>
812     <xsd:simpleType name="StandardRestrictedBusinessType">
813         <xsd:restriction base="ecl:StandardBusinessTypeList">
814             <xsd:enumeration value="A31"/>
815         </xsd:restriction>
816     </xsd:simpleType>
817     <xsd:simpleType name="RestrictedBusinessType">
818         <xsd:union memberTypes="StandardRestrictedBusinessType LocalRestrictedBusinessType"/>
819     </xsd:simpleType>
820     <xsd:complexType name="AuctionType">
```

```


821             <xsd:attribute name="v" type="RestrictedAuctionType" use="required"/>
822         </xsd:complexType>
823     <xsd:simpleType name="StandardRestrictedAuctionType">
824         <xsd:restriction base="ecl:StandardAuctionTypeList">
825             <xsd:enumeration value="A01"/>
826             <xsd:enumeration value="A02"/>
827         </xsd:restriction>
828     </xsd:simpleType>
829     <xsd:simpleType name="RestrictedAuctionType">
830         <xsd:union memberTypes="StandardRestrictedAuctionType LocalRestrictedAuctionType"/>
831     </xsd:simpleType>
832     <xsd:complexType name="CategoryType">
833         <xsd:attribute name="v" type="RestrictedCategoryType" use="required"/>
834     </xsd:complexType>
835     <xsd:simpleType name="StandardRestrictedCategoryType">
836         <xsd:restriction base="ecl:StandardCategoryTypeList">
837             <xsd:enumeration value="A01"/>
838             <xsd:enumeration value="A02"/>
839             <xsd:enumeration value="A03"/>
840             <xsd:enumeration value="A04"/>
841         </xsd:restriction>
842     </xsd:simpleType>
843     <xsd:simpleType name="RestrictedCategoryType">
844         <xsd:union memberTypes="StandardRestrictedCategoryType LocalRestrictedCategoryType"/>
845     </xsd:simpleType>
846     <xsd:complexType name="ContractType">
847         <xsd:attribute name="v" type="RestrictedContractType" use="required"/>
848     </xsd:complexType>
849     <xsd:simpleType name="StandardRestrictedContractType">
850         <xsd:restriction base="ecl:StandardContractTypeList">
851             <xsd:enumeration value="A01"/>
852             <xsd:enumeration value="A02"/>
853             <xsd:enumeration value="A03"/>
854             <xsd:enumeration value="A04"/>
855             <xsd:enumeration value="A07"/>
856             <xsd:enumeration value="A08"/>
857             <xsd:enumeration value="A09"/>
858             <xsd:enumeration value="A10"/>
859         </xsd:restriction>
860     </xsd:simpleType>
861     <xsd:simpleType name="RestrictedContractType">
862         <xsd:union memberTypes="StandardRestrictedContractType LocalRestrictedContractType"/>
863     </xsd:simpleType>
864     <xsd:complexType name="AllocationModeType">
865         <xsd:attribute name="v" type="RestrictedAllocationModeType" use="required"/>
866     </xsd:complexType>
867     <xsd:simpleType name="StandardRestrictedAllocationModeType">
868         <xsd:restriction base="ecl:StandardAllocationModeTypeList">
869             <xsd:enumeration value="A01"/>
870             <xsd:enumeration value="A02"/>
871             <xsd:enumeration value="A03"/>
872             <xsd:enumeration value="A04"/>
873         </xsd:restriction>
874     </xsd:simpleType>
875     <xsd:simpleType name="RestrictedAllocationModeType">
876         <xsd:union memberTypes="StandardRestrictedAllocationModeType LocalRestrictedAllocationModeType"/>
877     </xsd:simpleType>
878     <xsd:complexType name="PaymentTermsType">
879         <xsd:attribute name="v" type="RestrictedPaymentTermsType" use="required"/>
880     </xsd:complexType>
881     <xsd:simpleType name="StandardRestrictedPaymentTermsType">
882         <xsd:restriction base="ecl:StandardPaymentTermsTypeList">
883             <xsd:enumeration value="A01"/>
884             <xsd:enumeration value="A02"/>
885             <xsd:enumeration value="A03"/>
886         </xsd:restriction>
887     </xsd:simpleType>
888     <xsd:simpleType name="RestrictedPaymentTermsType">
889         <xsd:union memberTypes="StandardRestrictedPaymentTermsType LocalRestrictedPaymentTermsType"/>
890     </xsd:simpleType>
891     <xsd:complexType name="CurveType">
```

VERSION: 1

```
892             <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
893         </xsd:complexType>
894     <xsd:simpleType name="StandardRestrictedCurveType">
895         <xsd:restriction base="ecl:StandardCurveTypeList">
896             <xsd:enumeration value="A01"/>
897             <xsd:enumeration value="A03"/>
898         </xsd:restriction>
899     </xsd:simpleType>
900     <xsd:simpleType name="RestrictedCurveType">
901         <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
902     </xsd:simpleType>
903     <xsd:complexType name="IndicatorType">
904         <xsd:attribute name="v" type="RestrictedIndicatorType" use="required"/>
905     </xsd:complexType>
906     <xsd:simpleType name="StandardRestrictedIndicatorType">
907         <xsd:restriction base="ecl:StandardIndicatorTypeList">
908             <xsd:enumeration value="A01"/>
909         </xsd:restriction>
910     </xsd:simpleType>
911     <xsd:simpleType name="RestrictedIndicatorType">
912         <xsd:union memberTypes="StandardRestrictedIndicatorType LocalRestrictedIndicatorType"/>
913     </xsd:simpleType>
914     <xsd:complexType name="RightsType">
915         <xsd:attribute name="v" type="RestrictedRightsType" use="required"/>
916     </xsd:complexType>
917     <xsd:simpleType name="StandardRestrictedRightsType">
918         <xsd:restriction base="ecl:StandardRightsTypeList">
919             <xsd:enumeration value="A01"/>
920             <xsd:enumeration value="A02"/>
921             <xsd:enumeration value="A03"/>
922             <xsd:enumeration value="A04"/>
923             <xsd:enumeration value="A05"/>
924             <xsd:enumeration value="A06"/>
925         </xsd:restriction>
926     </xsd:simpleType>
927     <xsd:simpleType name="RestrictedRightsType">
928         <xsd:union memberTypes="StandardRestrictedRightsType LocalRestrictedRightsType"/>
929     </xsd:simpleType>
930 </xsd:schema>
```

931 5.3 BID DOCUMENT

932 5.3.1 XML SCHEMA STRUCTURE



933

934

FIGURE 3: BID DOCUMENT STRUCTURE

935 5.3.2 XML SCHEMA

```

936  <?xml version="1.0" encoding="UTF-8"?>
937  <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
938  xmlns="urn:entsoe.eu:wgedi:ecan:biddocument:6:0" targetNamespace="urn:entsoe.eu:wgedi:ecan:biddocument:6:0"
939  elementFormDefault="qualified" attributeFormDefault="unqualified">
940      <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
941  components.xsd"/>
942      <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-biddocument-6-0-restricted-codes.xsd"/>
943      <!--
944          ENTSO-E Document Automatically generated from a UML class diagram using XMI.
945          Generation tool version 2.0
946          -->
947      <xsd:complexType name="Interval_Type">
948          <xsd:annotation>
949              <xsd:documentation/>
950          </xsd:annotation>
951          <xsd:sequence>
952              <xsd:element name="Pos" type="ecc:PositionType">
953                  <xsd:annotation>
954                      <xsd:documentation/>
955                  </xsd:annotation>
956              </xsd:element>
957              <xsd:element name="Qty" type="ecc:QuantityType">
958                  <xsd:annotation>
959                      <xsd:documentation/>
960                  </xsd:annotation>
961              </xsd:element>
962              <xsd:element name="PriceAmount" type="ecc:AmountType" minOccurs="0">
963                  <xsd:annotation>
964                      <xsd:documentation/>
965                  </xsd:annotation>
966              </xsd:element>
967          </xsd:sequence>
968      </xsd:complexType>
969      <xsd:complexType name="Period_Type">
970          <xsd:annotation>
971              <xsd:documentation/>
972          </xsd:annotation>
973          <xsd:sequence>
974              <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
975                  <xsd:annotation>
976                      <xsd:documentation/>
977                  </xsd:annotation>
978              </xsd:element>
979              <xsd:element name="Resolution" type="ecc:ResolutionType">
980                  <xsd:annotation>
981                      <xsd:documentation/>
982                  </xsd:annotation>
983              </xsd:element>
984              <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded"/>
985          </xsd:sequence>
986      </xsd:complexType>
987      <xsd:complexType name="BidTimeSeries_Type">
988          <xsd:annotation>
989              <xsd:documentation/>
990          </xsd:annotation>
991          <xsd:sequence>
992              <xsd:element name="BidIdentification" type="ecc:IdentificationType">
993                  <xsd:annotation>
994                      <xsd:documentation/>
995                  </xsd:annotation>
996              </xsd:element>
997              <xsd:element name="AuctionIdentification" type="ecc:IdentificationType">
998                  <xsd:annotation>
999                      <xsd:documentation/>
1000                 </xsd:annotation>
1001             </xsd:element>
1002             <xsd:element name="BusinessType" type="ecc:BusinessType">
1003                 <xsd:annotation>
```

VERSION: 1

```

1004                                <xsd:documentation/>
1005                            </xsd:annotation>
1006                        </xsd:element>
1007                    <xsd:element name="InArea" type="ecc:AreaType">
1008                        <xsd:annotation>
1009                            <xsd:documentation/>
1010                        </xsd:annotation>
1011                    </xsd:element>
1012                    <xsd:element name="OutArea" type="ecc:AreaType">
1013                        <xsd:annotation>
1014                            <xsd:documentation/>
1015                        </xsd:annotation>
1016                    </xsd:element>
1017                    <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType">
1018                        <xsd:annotation>
1019                            <xsd:documentation/>
1020                        </xsd:annotation>
1021                    </xsd:element>
1022                    <xsd:element name="Currency" type="ecc:CurrencyType" minOccurs="0">
1023                        <xsd:annotation>
1024                            <xsd:documentation/>
1025                        </xsd:annotation>
1026                    </xsd:element>
1027                    <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType" minOccurs="0">
1028                        <xsd:annotation>
1029                            <xsd:documentation/>
1030                        </xsd:annotation>
1031                    </xsd:element>
1032                    <xsd:element name="Divisible" type="IndicatorType">
1033                        <xsd:annotation>
1034                            <xsd:documentation/>
1035                        </xsd:annotation>
1036                    </xsd:element>
1037                    <xsd:element name="LinkedBidsIdentification" type="ecc:IdentificationType" minOccurs="0">
1038                        <xsd:annotation>
1039                            <xsd:documentation/>
1040                        </xsd:annotation>
1041                    </xsd:element>
1042                    <xsd:element name="BlockBid" type="IndicatorType">
1043                        <xsd:annotation>
1044                            <xsd:documentation/>
1045                        </xsd:annotation>
1046                    </xsd:element>
1047                    <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
1048                </xsd:sequence>
1049            </xsd:complexType>
1050        <xsd:element name="BidDocument">
1051            <xsd:complexType>
1052                <xsd:annotation>
1053                    <xsd:documentation/>
1054                </xsd:annotation>
1055            <xsd:sequence>
1056                <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
1057                    <xsd:annotation>
1058                        <xsd:documentation/>
1059                    </xsd:annotation>
1060                </xsd:element>
1061                <xsd:element name="DocumentVersion" type="ecc:VersionType">
1062                    <xsd:annotation>
1063                        <xsd:documentation/>
1064                    </xsd:annotation>
1065                </xsd:element>
1066                <xsd:element name="DocumentType" type="DocumentType">
1067                    <xsd:annotation>
1068                        <xsd:documentation/>
1069                    </xsd:annotation>
1070                </xsd:element>
1071                <xsd:element name="SenderIdentification" type="ecc:PartyType">
1072                    <xsd:annotation>
1073                        <xsd:documentation/>
1074                    </xsd:annotation>

```

```

1075                               </xsd:element>
1076                               <xsd:element name="SenderRole" type="ecc:RoleType">
1077                                   <xsd:annotation>
1078                                       <xsd:documentation/>
1079                                   </xsd:annotation>
1080                               </xsd:element>
1081                               <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
1082                                   <xsd:annotation>
1083                                       <xsd:documentation/>
1084                                   </xsd:annotation>
1085                               </xsd:element>
1086                               <xsd:element name="ReceiverRole" type="ecc:RoleType">
1087                                   <xsd:annotation>
1088                                       <xsd:documentation/>
1089                                   </xsd:annotation>
1090                               </xsd:element>
1091                               <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
1092                                   <xsd:annotation>
1093                                       <xsd:documentation/>
1094                                   </xsd:annotation>
1095                               </xsd:element>
1096                               <xsd:element name="BidTimeInterval" type="ecc:TimeIntervalType">
1097                                   <xsd:annotation>
1098                                       <xsd:documentation/>
1099                                   </xsd:annotation>
1100                               </xsd:element>
1101                               <xsd:element name="Domain" type="ecc:AreaType">
1102                                   <xsd:annotation>
1103                                       <xsd:documentation/>
1104                                   </xsd:annotation>
1105                               </xsd:element>
1106                               <xsd:element name="SubjectParty" type="ecc:PartyType">
1107                                   <xsd:annotation>
1108                                       <xsd:documentation/>
1109                                   </xsd:annotation>
1110                               </xsd:element>
1111                               <xsd:element name="SubjectRole" type="SubjectRoleType">
1112                                   <xsd:annotation>
1113                                       <xsd:documentation/>
1114                                   </xsd:annotation>
1115                               </xsd:element>
1116                               <xsd:element name="BidTimeSeries" type="BidTimeSeries_Type" minOccurs="0"
1117 maxOccurs="unbounded"/>
1118                               </xsd:sequence>
1119                         </xsd:complexType>
1120                     </xsd:element>
1121 </xsd:schema>
```

1122 5.3.3 RESTRICTED CODELIST

```


1123 <?xml version="1.0" encoding="UTF-8"?>
1124 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
1125 elementFormDefault="qualified" attributeFormDefault="unqualified">
1126     <!-- import the codelists -->
1127     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
1128 codelists.xsd"/>
1129     <!-- include the local message restrictions -->
1130     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-biddocument-6-0-local-restrictions.xsd"/>
1131     <!-- restricted codelists -->
1132     <xsd:complexType name="DocumentType">
1133         <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
1134     </xsd:complexType>
1135     <xsd:simpleType name="StandardRestrictedDocumentType">
1136         <xsd:restriction base="ecl:StandardDocumentTypeList">
1137             <xsd:enumeration value="A24"/>
1138         </xsd:restriction>
1139     </xsd:simpleType>
1140     <xsd:simpleType name="RestrictedDocumentType">
1141         <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
1142     </xsd:simpleType>
```

VERSION: 1

```
1143      <xsd:complexType name="SubjectRoleType">
1144          <xsd:attribute name="v" type="RestrictedSubjectRoleType" use="required"/>
1145      </xsd:complexType>
1146      <xsd:simpleType name="StandardRestrictedSubjectRoleType">
1147          <xsd:restriction base="ecl:StandardRoleTypeList">
1148              <xsd:enumeration value="A29"/>
1149          </xsd:restriction>
1150      </xsd:simpleType>
1151      <xsd:simpleType name="RestrictedSubjectRoleType">
1152          <xsd:union memberTypes="StandardRestrictedSubjectRoleType LocalRestrictedSubjectRoleType"/>
1153      </xsd:simpleType>
1154      <xsd:complexType name="IndicatorType">
1155          <xsd:attribute name="v" type="RestrictedIndicatorType" use="required"/>
1156      </xsd:complexType>
1157      <xsd:simpleType name="StandardRestrictedIndicatorType">
1158          <xsd:restriction base="ecl:StandardIndicatorTypeList">
1159              <xsd:enumeration value="A01"/>
1160              <xsd:enumeration value="A02"/>
1161          </xsd:restriction>
1162      </xsd:simpleType>
1163      <xsd:simpleType name="RestrictedIndicatorType">
1164          <xsd:union memberTypes="StandardRestrictedIndicatorType LocalRestrictedIndicatorType"/>
1165      </xsd:simpleType>
1166  </xsd:schema>
```

1167 **5.4 ALLOCATION RESULT DOCUMENT**

1168 **5.4.1 XML SCHEMA STRUCTURE**



1169

1170

FIGURE 4: ALLOCATION RESULT DOCUMENT STRUCTURE

1171 5.4.2 XML SCHEMA

```

1172 <?xml version="1.0" encoding="UTF-8"?>
1173 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
1174   xmlns="urn:entsoe.eu:wgedi:ecan:allocationresultsdocument:6:0"
1175   targetNamespace="urn:entsoe.eu:wgedi:ecan:allocationresultsdocument:6:0" elementFormDefault="qualified"
1176   attributeFormDefault="unqualified">
1177     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
1178 components.xsd"/>
1179     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-allocationresultsdocument-6-0-restricted-codes.xsd"/>
1180     <!--
1181           ENTSO-E Document Automatically generated from a UML class diagram using XMI.
1182           Generation tool version 2.0
1183           -->
1184     <xsd:complexType name="Interval_Type">
1185       <xsd:annotation>
1186         <xsd:documentation/>
1187       </xsd:annotation>
1188       <xsd:sequence>
1189         <xsd:element name="Pos" type="ecc:PositionType">
1190           <xsd:annotation>
1191             <xsd:documentation/>
1192           </xsd:annotation>
1193         </xsd:element>
1194         <xsd:element name="Qty" type="ecc:QuantityType">
1195           <xsd:annotation>
1196             <xsd:documentation/>
1197           </xsd:annotation>
1198         </xsd:element>
1199         <xsd:element name="PriceAmount" type="ecc:AmountType" minOccurs="0">
1200           <xsd:annotation>
1201             <xsd:documentation/>
1202           </xsd:annotation>
1203         </xsd:element>
1204         <xsd:element name="BidQty" type="ecc:QuantityType" minOccurs="0">
1205           <xsd:annotation>
1206             <xsd:documentation/>
1207           </xsd:annotation>
1208         </xsd:element>
1209         <xsd:element name="BidPriceAmount" type="ecc:AmountType" minOccurs="0">
1210           <xsd:annotation>
1211             <xsd:documentation/>
1212           </xsd:annotation>
1213         </xsd:element>
1214         <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded">
1215           <xsd:sequence>
1216             </xsd:complexType>
1217             <xsd:complexType name="Period_Type">
1218               <xsd:annotation>
1219                 <xsd:documentation/>
1220               </xsd:annotation>
1221               <xsd:sequence>
1222                 <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
1223                   <xsd:annotation>
1224                     <xsd:documentation/>
1225                   </xsd:annotation>
1226                 </xsd:element>
1227                 <xsd:element name="Resolution" type="ecc:ResolutionType">
1228                   <xsd:annotation>
1229                     <xsd:documentation/>
1230                   </xsd:annotation>
1231                 </xsd:element>
1232                 <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded">
1233               </xsd:sequence>
1234             </xsd:complexType>
1235             <xsd:complexType name="AllocationTimeSeries_Type">
1236               <xsd:annotation>
1237                 <xsd:documentation/>
1238               </xsd:annotation>
1239             <xsd:sequence>

```

```

1240 <xsd:element name="TimeSeriesIdentification" type="ecc:IdentificationType">
1241     <xsd:annotation>
1242         <xsd:documentation/>
1243     </xsd:annotation>
1244 </xsd:element>
1245 <xsd:element name="BidDocumentIdentification" type="ecc:IdentificationType">
1246     <xsd:annotation>
1247         <xsd:documentation/>
1248     </xsd:annotation>
1249 </xsd:element>
1250 <xsd:element name="BidDocumentVersion" type="ecc:VersionType">
1251     <xsd:annotation>
1252         <xsd:documentation/>
1253     </xsd:annotation>
1254 </xsd:element>
1255 <xsd:element name="BidIdentification" type="ecc:IdentificationType" minOccurs="0">
1256     <xsd:annotation>
1257         <xsd:documentation/>
1258     </xsd:annotation>
1259 </xsd:element>
1260 <xsd:element name="AuctionIdentification" type="ecc:IdentificationType">
1261     <xsd:annotation>
1262         <xsd:documentation/>
1263     </xsd:annotation>
1264 </xsd:element>
1265 <xsd:element name="BusinessType" type="ecc:BusinessType">
1266     <xsd:annotation>
1267         <xsd:documentation/>
1268     </xsd:annotation>
1269 </xsd:element>
1270 <xsd:element name="InArea" type="ecc:AreaType">
1271     <xsd:annotation>
1272         <xsd:documentation/>
1273     </xsd:annotation>
1274 </xsd:element>
1275 <xsd:element name="OutArea" type="ecc:AreaType">
1276     <xsd:annotation>
1277         <xsd:documentation/>
1278     </xsd:annotation>
1279 </xsd:element>
1280 <xsd:element name="ContractType" type="ecc:ContractType">
1281     <xsd:annotation>
1282         <xsd:documentation/>
1283     </xsd:annotation>
1284 </xsd:element>
1285 <xsd:element name="ContractIdentification" type="ecc:IdentificationType">
1286     <xsd:annotation>
1287         <xsd:documentation/>
1288     </xsd:annotation>
1289 </xsd:element>
1290 <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType">
1291     <xsd:annotation>
1292         <xsd:documentation/>
1293     </xsd:annotation>
1294 </xsd:element>
1295 <xsd:element name="Currency" type="ecc:CurrencyType" minOccurs="0">
1296     <xsd:annotation>
1297         <xsd:documentation/>
1298     </xsd:annotation>
1299 </xsd:element>
1300 <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType" minOccurs="0">
1301     <xsd:annotation>
1302         <xsd:documentation/>
1303     </xsd:annotation>
1304 </xsd:element>
1305 <xsd:element name="CurveType" type="CurveType" minOccurs="0">
1306     <xsd:annotation>
1307         <xsd:documentation/>
1308     </xsd:annotation>
1309 </xsd:element>
1310 <xsd:element name="ClassificationCategory" type="CategoryType" minOccurs="0">
```

VERSION: 1

```

1311          <xsd:annotation>
1312              <xsd:documentation/>
1313          </xsd:annotation>
1314      </xsd:element>
1315      <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
1316      <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
1317  </xsd:sequence>
1318 </xsd:complexType>
1319 <xsd:element name="AllocationResultDocument">
1320     <xsd:complexType>
1321         <xsd:annotation>
1322             <xsd:documentation/>
1323         </xsd:annotation>
1324     <xsd:sequence>
1325         <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
1326             <xsd:annotation>
1327                 <xsd:documentation/>
1328             </xsd:annotation>
1329         </xsd:element>
1330         <xsd:element name="DocumentVersion" type="ecc:VersionType">
1331             <xsd:annotation>
1332                 <xsd:documentation/>
1333             </xsd:annotation>
1334         </xsd:element>
1335         <xsd:element name="DocumentType" type="DocumentType">
1336             <xsd:annotation>
1337                 <xsd:documentation/>
1338             </xsd:annotation>
1339         </xsd:element>
1340         <xsd:element name="SenderIdentification" type="ecc:PartyType">
1341             <xsd:annotation>
1342                 <xsd:documentation/>
1343             </xsd:annotation>
1344         </xsd:element>
1345         <xsd:element name="SenderRole" type="RoleType">
1346             <xsd:annotation>
1347                 <xsd:documentation/>
1348             </xsd:annotation>
1349         </xsd:element>
1350         <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
1351             <xsd:annotation>
1352                 <xsd:documentation/>
1353             </xsd:annotation>
1354         </xsd:element>
1355         <xsd:element name="ReceiverRole" type="ecc:RoleType">
1356             <xsd:annotation>
1357                 <xsd:documentation/>
1358             </xsd:annotation>
1359         </xsd:element>
1360         <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
1361             <xsd:annotation>
1362                 <xsd:documentation/>
1363             </xsd:annotation>
1364         </xsd:element>
1365         <xsd:element name="BidTimeInterval" type="ecc:TimeIntervalType">
1366             <xsd:annotation>
1367                 <xsd:documentation/>
1368             </xsd:annotation>
1369         </xsd:element>
1370         <xsd:element name="Domain" type="ecc:AreaType">
1371             <xsd:annotation>
1372                 <xsd:documentation/>
1373             </xsd:annotation>
1374         </xsd:element>
1375         <xsd:element name="SubjectParty" type="ecc:PartyType">
1376             <xsd:annotation>
1377                 <xsd:documentation/>
1378             </xsd:annotation>
1379         </xsd:element>
1380         <xsd:element name="SubjectRole" type="ecc:RoleType">
1381             <xsd:annotation>

```

VERSION: 1

```

1382                               <xsd:documentation/>
1383                               </xsd:annotation>
1384                         </xsd:element>
1385                         <xsd:element name="AllocationTimeSeries" type="AllocationTimeSeries_Type"
1386 minOccurs="0" maxOccurs="unbounded"/>
1387                         <xsd:element name="Reason" type="Reason_Type" minOccurs="0"
1388 maxOccurs="unbounded"/>
1389                           </xsd:sequence>
1390                         </xsd:complexType>
1391           </xsd:element>
1392           <xsd:complexType name="Reason_Type">
1393             <xsd:annotation>
1394               <xsd:documentation/>
1395             </xsd:annotation>
1396             <xsd:sequence>
1397               <xsd:element name="ReasonCode" type="ReasonCodeType">
1398                 <xsd:annotation>
1399                   <xsd:documentation/>
1400                 </xsd:annotation>
1401               </xsd:element>
1402               <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
1403                 <xsd:annotation>
1404                   <xsd:documentation/>
1405                 </xsd:annotation>
1406               </xsd:element>
1407             </xsd:sequence>
1408           </xsd:complexType>
1409         </xsd:schema>

```

1410 5.4.3 RESTRICTED CODELIST

```

1411 <?xml version="1.0" encoding="UTF-8"?>
1412 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
1413 elementFormDefault="qualified" attributeFormDefault="unqualified">
1414   <!-- import the codelsits -->
1415   <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
1416 codelists.xsd"/>
1417   <!-- include the local message restrictions -->
1418   <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-allocationresultsdocument-6-0-local-restrictions.xsd"/>
1419   <!-- restricted codelists -->
1420   <xsd:complexType name="DocumentType">
1421     <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
1422   </xsd:complexType>
1423   <xsd:simpleType name="StandardRestrictedDocumentType">
1424     <xsd:restriction base="ecl:StandardDocumentTypeList">
1425       <xsd:enumeration value="A25"/>
1426     </xsd:restriction>
1427   </xsd:simpleType>
1428   <xsd:simpleType name="RestrictedDocumentType">
1429     <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
1430   </xsd:simpleType>
1431   <xsd:complexType name="RoleType">
1432     <xsd:attribute name="v" type="RestrictedRoleType" use="required"/>
1433   </xsd:complexType>
1434   <xsd:simpleType name="StandardRestrictedRoleType">
1435     <xsd:restriction base="ecl:StandardRoleTypeList">
1436       <xsd:enumeration value="A07"/>
1437     </xsd:restriction>
1438   </xsd:simpleType>
1439   <xsd:simpleType name="RestrictedRoleType">
1440     <xsd:union memberTypes="StandardRestrictedRoleType LocalRestrictedRoleType"/>
1441   </xsd:simpleType>
1442   <xsd:complexType name="CurveType">
1443     <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
1444   </xsd:complexType>
1445   <xsd:simpleType name="StandardRestrictedCurveType">
1446     <xsd:restriction base="ecl:StandardCurveTypeList">
1447       <xsd:enumeration value="A01"/>
1448       <xsd:enumeration value="A03"/>
1449     </xsd:restriction>

```

```

1450      </xsd:simpleType>
1451      <xsd:simpleType name="RestrictedCurveType">
1452          <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
1453      </xsd:simpleType>
1454      <xsd:complexType name="CategoryType">
1455          <xsd:attribute name="v" type="RestrictedCategoryType" use="required"/>
1456      </xsd:complexType>
1457      <xsd:simpleType name="StandardRestrictedCategoryType">
1458          <xsd:restriction base="ecl:StandardCategoryTypeList">
1459              <xsd:enumeration value="A01"/>
1460              <xsd:enumeration value="A02"/>
1461              <xsd:enumeration value="A03"/>
1462              <xsd:enumeration value="A04"/>
1463          </xsd:restriction>
1464      </xsd:simpleType>
1465      <xsd:simpleType name="RestrictedCategoryType">
1466          <xsd:union memberTypes="StandardRestrictedCategoryType LocalRestrictedCategoryType"/>
1467      </xsd:simpleType>
1468      <xsd:complexType name="ReasonCodeType">
1469          <xsd:attribute name="v" type="RestrictedReasonCodeType" use="required"/>
1470      </xsd:complexType>
1471      <xsd:simpleType name="StandardRestrictedReasonCodeType">
1472          <xsd:restriction base="ecl:StandardReasonCodeTypeList">
1473              <xsd:enumeration value="A71"/>
1474              <xsd:enumeration value="A72"/>
1475              <xsd:enumeration value="A73"/>
1476              <xsd:enumeration value="A74"/>
1477          </xsd:restriction>
1478      </xsd:simpleType>
1479      <xsd:simpleType name="RestrictedReasonCodeType">
1480          <xsd:union memberTypes="StandardRestrictedReasonCodeType LocalRestrictedReasonCodeType"/>
1481      </xsd:simpleType>
1482  </xsd:schema>

```

1483 5.5 TOTAL ALLOCATION RESULT DOCUMENT

1484 5.5.1 RULES GOVERNING THE NOBIDAUCTIONTIMESERIES CLASS

1485 There may be several no bid auction timeseries classes for a total allocation results
1486 document. Each time series identifies an auction where no market participant bids have been
1487 received.

1488 A Reason class is associated with the no bid auction timeseries to provide additional
1489 information.

1490 5.5.1.1 IDENTIFICATION

ACTION	DESCRIPTION
Definition of element	The identification of a time series instance.
Description	An identification that uniquely identified the no bid auction time series.
Size	The maximum size of an identification is 35 alphanumeric characters.
Applicability	This information is mandatory.
Dependence requirements	None.

1491 **5.5.1.2 AUCTION IDENTIFICATION**


ACTION	DESCRIPTION
Definition of element	The identification of the auction where no bids were received.
Description	The identification of the auction where no bids have been received.
Size	The identification of an auction may not exceed 35 alphanumeric characters.
Applicability	This information is Mandatory.
Dependence requirements	None

1492 **5.5.1.3 CLASSIFICATION CATEGORY**

ACTION	DESCRIPTION
Definition of element	The category of the product as defined by market rules.
Description	This information provides the basic category of the auction and describes what hours of the day are being auctioned. The following codes have been initially defined: A01: Base A02: Peak A03: Off-peak A04: Hourly Refer to ENTSO-E Core Component Code list document for valid Classification Category codes.
Size	The classification category value must be exactly 3 alphanumeric characters (no blanks).
Applicability	This information is dependent.
Dependence requirements	The use of this depends on local market rules.

1493

1494 5.5.2 XML SCHEMA STRUCTURE



1495

1496

FIGURE 5: TOTAL ALLOCATION RESULT DOCUMENT STRUCTURE

1497 5.5.3 XML SCHEMA

1498 <?xml version="1.0" encoding="UTF-8"?>

ENTSO-E CORRIGENDUM TO ECAN, ACKNOWLEDGEMENT, ESR AND ESP IMPLEMENTATION GUIDES

VERSION: 1

```

1499 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
1500   xmlns="urn:entsoe.eu:wgedi:ecan:totalallocationresultsdocument:6:0"
1501   targetNamespace="urn:entsoe.eu:wgedi:ecan:totalallocationresultsdocument:6:0" elementFormDefault="qualified"
1502   attributeFormDefault="unqualified">
1503     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
1504 components.xsd"/>
1505     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-totalallocationresultsdocument-6-0-restricted-codes.xsd"/>
1506     <!--
1507         ENTSO-E Document Automatically generated from a UML class diagram using XMI.
1508         Generation tool version 2.0
1509         -->
1510     <xsd:complexType name="Interval_Type">
1511       <xsd:annotation>
1512         <xsd:documentation/>
1513       </xsd:annotation>
1514     <xsd:sequence>
1515       <xsd:element name="Pos" type="ecc:PositionType">
1516         <xsd:annotation>
1517           <xsd:documentation/>
1518         </xsd:annotation>
1519       </xsd:element>
1520       <xsd:element name="Qty" type="ecc:QuantityType">
1521         <xsd:annotation>
1522           <xsd:documentation/>
1523         </xsd:annotation>
1524       </xsd:element>
1525       <xsd:element name="PriceAmount" type="ecc:AmountType" minOccurs="0">
1526         <xsd:annotation>
1527           <xsd:documentation/>
1528         </xsd:annotation>
1529       </xsd:element>
1530       <xsd:element name="BidQty" type="ecc:QuantityType" minOccurs="0">
1531         <xsd:annotation>
1532           <xsd:documentation/>
1533         </xsd:annotation>
1534       </xsd:element>
1535       <xsd:element name="BidPriceAmount" type="ecc:AmountType" minOccurs="0">
1536         <xsd:annotation>
1537           <xsd:documentation/>
1538         </xsd:annotation>
1539       </xsd:element>
1540       <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded">
1541         <xsd:sequence>
1542           </xsd:complexType>
1543         <xsd:complexType name="Period_Type">
1544           <xsd:annotation>
1545             <xsd:documentation/>
1546           </xsd:annotation>
1547         <xsd:sequence>
1548           <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
1549             <xsd:annotation>
1550               <xsd:documentation/>
1551             </xsd:annotation>
1552           </xsd:element>
1553           <xsd:element name="Resolution" type="ecc:ResolutionType">
1554             <xsd:annotation>
1555               <xsd:documentation/>
1556             </xsd:annotation>
1557           </xsd:element>
1558           <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded">
1559             </xsd:sequence>
1560           </xsd:complexType>
1561         <xsd:complexType name="AllocationTimeSeries_Type">
1562           <xsd:annotation>
1563             <xsd:documentation/>
1564           </xsd:annotation>
1565         <xsd:sequence>
1566           <xsd:element name="TimeSeriesIdentification" type="ecc:IdentificationType">
1567             <xsd:annotation>
1568               <xsd:documentation/>
1569             </xsd:annotation>

```

VERSION: 1

```

1570
1571      </xsd:element>
1572      <xsd:element name="BidDocumentIdentification" type="ecc:IdentificationType">
1573          <xsd:annotation>
1574              <xsd:documentation/>
1575          </xsd:annotation>
1576      </xsd:element>
1577      <xsd:element name="BidDocumentVersion" type="ecc:VersionType">
1578          <xsd:annotation>
1579              <xsd:documentation/>
1580          </xsd:annotation>
1581      </xsd:element>
1582      <xsd:element name="BidIdentification" type="ecc:IdentificationType" minOccurs="0">
1583          <xsd:annotation>
1584              <xsd:documentation/>
1585          </xsd:annotation>
1586      </xsd:element>
1587      <xsd:element name="BiddingParty" type="ecc:PartyType">
1588          <xsd:annotation>
1589              <xsd:documentation/>
1590          </xsd:annotation>
1591      </xsd:element>
1592      <xsd:element name="AuctionIdentification" type="ecc:IdentificationType">
1593          <xsd:annotation>
1594              <xsd:documentation/>
1595          </xsd:annotation>
1596      </xsd:element>
1597      <xsd:element name="BusinessType" type="ecc:BusinessType">
1598          <xsd:annotation>
1599              <xsd:documentation/>
1600          </xsd:annotation>
1601      </xsd:element>
1602      <xsd:element name="InArea" type="ecc:AreaType">
1603          <xsd:annotation>
1604              <xsd:documentation/>
1605          </xsd:annotation>
1606      </xsd:element>
1607      <xsd:element name="OutArea" type="ecc:AreaType">
1608          <xsd:annotation>
1609              <xsd:documentation/>
1610          </xsd:annotation>
1611      </xsd:element>
1612      <xsd:element name="ContractType" type="ecc:ContractType">
1613          <xsd:annotation>
1614              <xsd:documentation/>
1615          </xsd:annotation>
1616      </xsd:element>
1617      <xsd:element name="ContractIdentification" type="ecc:IdentificationType">
1618          <xsd:annotation>
1619              <xsd:documentation/>
1620          </xsd:annotation>
1621      </xsd:element>
1622      <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType">
1623          <xsd:annotation>
1624              <xsd:documentation/>
1625          </xsd:annotation>
1626      </xsd:element>
1627      <xsd:element name="Currency" type="ecc:CurrencyType" minOccurs="0">
1628          <xsd:annotation>
1629              <xsd:documentation/>
1630          </xsd:annotation>
1631      </xsd:element>
1632      <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType" minOccurs="0">
1633          <xsd:annotation>
1634              <xsd:documentation/>
1635          </xsd:annotation>
1636      </xsd:element>
1637      <xsd:element name="MeasureUnitEnergyPrice" type="ecc:UnitOfMeasureType" minOccurs="0">
1638          <xsd:annotation>
1639              <xsd:documentation/>
1640          </xsd:annotation>
</xsd:element>
```

VERSION: 1

```

1641 <xsd:element name="CurveType" type="CurveType" minOccurs="0">
1642     <xsd:annotation>
1643         <xsd:documentation/>
1644     </xsd:annotation>
1645 </xsd:element>
1646 <xsd:element name="ClassificationCategory" type="CategoryType" minOccurs="0">
1647     <xsd:annotation>
1648         <xsd:documentation/>
1649     </xsd:annotation>
1650 </xsd:element>
1651 <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
1652     <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
1653 </xsd:sequence>
1654 </xsd:complexType>
1655 <xsd:element name="TotalAllocationResultDocument">
1656     <xsd:complexType>
1657         <xsd:annotation>
1658             <xsd:documentation/>
1659         </xsd:annotation>
1660     <xsd:sequence>
1661         <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
1662             <xsd:annotation>
1663                 <xsd:documentation/>
1664             </xsd:annotation>
1665         </xsd:element>
1666         <xsd:element name="DocumentVersion" type="ecc:VersionType">
1667             <xsd:annotation>
1668                 <xsd:documentation/>
1669             </xsd:annotation>
1670         </xsd:element>
1671         <xsd:element name="DocumentType" type="DocumentType">
1672             <xsd:annotation>
1673                 <xsd:documentation/>
1674             </xsd:annotation>
1675         </xsd:element>
1676         <xsd:element name="SenderIdentification" type="ecc:PartyType">
1677             <xsd:annotation>
1678                 <xsd:documentation/>
1679             </xsd:annotation>
1680         </xsd:element>
1681         <xsd:element name="SenderRole" type="RoleType">
1682             <xsd:annotation>
1683                 <xsd:documentation/>
1684             </xsd:annotation>
1685         </xsd:element>
1686         <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
1687             <xsd:annotation>
1688                 <xsd:documentation/>
1689             </xsd:annotation>
1690         </xsd:element>
1691         <xsd:element name="ReceiverRole" type="ecc:RoleType">
1692             <xsd:annotation>
1693                 <xsd:documentation/>
1694             </xsd:annotation>
1695         </xsd:element>
1696         <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
1697             <xsd:annotation>
1698                 <xsd:documentation/>
1699             </xsd:annotation>
1700         </xsd:element>
1701         <xsd:element name="BidTimeInterval" type="ecc:TimeIntervalType">
1702             <xsd:annotation>
1703                 <xsd:documentation/>
1704             </xsd:annotation>
1705         </xsd:element>
1706         <xsd:element name="Domain" type="ecc:AreaType">
1707             <xsd:annotation>
1708                 <xsd:documentation/>
1709             </xsd:annotation>
1710         </xsd:element>

```

```

1711                               <xsd:element name="AllocationTimeSeries" type="AllocationTimeSeries_Type"
1712                               minOccurs="0" maxOccurs="unbounded"/>
1713                               <xsd:element name="Reason" type="Reason_Type" minOccurs="0"
1714                               maxOccurs="unbounded"/>
1715                               <xsd:element name="NoBidAuctionTimeseries" type="NoBidAuctionTimeseries_Type"
1716                               minOccurs="0" maxOccurs="unbounded"/>
1717                               </xsd:sequence>
1718                               </xsd:complexType>
1719 </xsd:element>
1720 <xsd:complexType name="Reason_Type">
1721     <xsd:annotation>
1722         <xsd:documentation/>
1723     </xsd:annotation>
1724     <xsd:sequence>
1725         <xsd:element name="ReasonCode" type="ReasonCodeType">
1726             <xsd:annotation>
1727                 <xsd:documentation/>
1728             </xsd:annotation>
1729         </xsd:element>
1730         <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
1731             <xsd:annotation>
1732                 <xsd:documentation/>
1733             </xsd:annotation>
1734         </xsd:element>
1735         </xsd:sequence>
1736     </xsd:complexType>
1737 <xsd:complexType name="NoBidAuctionTimeseries_Type">
1738     <xsd:annotation>
1739         <xsd:documentation/>
1740     </xsd:annotation>
1741     <xsd:sequence>
1742         <xsd:element name="Identification" type="ecc:IdentificationType">
1743             <xsd:annotation>
1744                 <xsd:documentation/>
1745             </xsd:annotation>
1746         </xsd:element>
1747         <xsd:element name="AuctionIdentification" type="ecc:IdentificationType">
1748             <xsd:annotation>
1749                 <xsd:documentation/>
1750             </xsd:annotation>
1751         </xsd:element>
1752         <xsd:element name="ClassificationCategory" type="CategoryType" minOccurs="0">
1753             <xsd:annotation>
1754                 <xsd:documentation/>
1755             </xsd:annotation>
1756         </xsd:element>
1757         <xsd:element name="Reason" type="Reason_Type"/>
1758         </xsd:sequence>
1759     </xsd:complexType>
1760 </xsd:schema>
```

1761 5.5.4 RESTRICTED CODELIST

```

1762 <?xml version="1.0" encoding="UTF-8"?>
1763 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
1764 elementFormDefault="qualified" attributeFormDefault="unqualified">
1765     <!-- import the codelists -->
1766     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
1767 codelists.xsd"/>
1768     <!-- include the local message restrictions -->
1769     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-totalallocationresultsdocument-6-0-local-restrictions.xsd"/>
1770     <!-- restricted codelists -->
1771     <xsd:complexType name="DocumentType">
1772         <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
1773     </xsd:complexType>
1774     <xsd:simpleType name="StandardRestrictedDocumentType">
1775         <xsd:restriction base="ecl:StandardDocumentTypeList">
1776             <xsd:enumeration value="A25"/>
1777         </xsd:restriction>
1778     </xsd:simpleType>
```

VERSION: 1


```

1779      <xsd:simpleType name="RestrictedDocumentType">
1780          <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
1781      </xsd:simpleType>
1782      <xsd:complexType name="RoleType">
1783          <xsd:attribute name="v" type="RestrictedRoleType" use="required"/>
1784      </xsd:complexType>
1785      <xsd:simpleType name="StandardRestrictedRoleType">
1786          <xsd:restriction base="ecl:StandardRoleTypeList">
1787              <xsd:enumeration value="A07"/>
1788          </xsd:restriction>
1789      </xsd:simpleType>
1790      <xsd:simpleType name="RestrictedRoleType">
1791          <xsd:union memberTypes="StandardRestrictedRoleType LocalRestrictedRoleType"/>
1792      </xsd:simpleType>
1793      <xsd:complexType name="CurveType">
1794          <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
1795      </xsd:complexType>
1796      <xsd:simpleType name="StandardRestrictedCurveType">
1797          <xsd:restriction base="ecl:StandardCurveTypeList">
1798              <xsd:enumeration value="A01"/>
1799              <xsd:enumeration value="A03"/>
1800          </xsd:restriction>
1801      </xsd:simpleType>
1802      <xsd:simpleType name="RestrictedCurveType">
1803          <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
1804      </xsd:simpleType>
1805      <xsd:complexType name="CategoryType">
1806          <xsd:attribute name="v" type="RestrictedCategoryType" use="required"/>
1807      </xsd:complexType>
1808      <xsd:simpleType name="StandardRestrictedCategoryType">
1809          <xsd:restriction base="ecl:StandardCategoryTypeList">
1810              <xsd:enumeration value="A01"/>
1811              <xsd:enumeration value="A02"/>
1812              <xsd:enumeration value="A03"/>
1813              <xsd:enumeration value="A04"/>
1814          </xsd:restriction>
1815      </xsd:simpleType>
1816      <xsd:simpleType name="RestrictedCategoryType">
1817          <xsd:union memberTypes="StandardRestrictedCategoryType LocalRestrictedCategoryType"/>
1818      </xsd:simpleType>
1819      <xsd:complexType name="ReasonCodeType">
1820          <xsd:attribute name="v" type="RestrictedReasonCodeType" use="required"/>
1821      </xsd:complexType>
1822      <xsd:simpleType name="StandardRestrictedReasonCodeType">
1823          <xsd:restriction base="ecl:StandardReasonCodeTypeList">
1824              <xsd:enumeration value="A71"/>
1825              <xsd:enumeration value="A72"/>
1826              <xsd:enumeration value="A73"/>
1827              <xsd:enumeration value="A74"/>
1828          </xsd:restriction>
1829      </xsd:simpleType>
1830      <xsd:simpleType name="RestrictedReasonCodeType">
1831          <xsd:union memberTypes="StandardRestrictedReasonCodeType LocalRestrictedReasonCodeType"/>
1832      </xsd:simpleType>
1833  </xsd:schema>

```

1834 5.6 IMPLICIT AUCTION RESULT DOCUMENT

1835 5.6.1 XML SCHEMA STRUCTURE



1836

1837

FIGURE 6: IMPLICIT AUCTION RESULT DOCUMENT STRUCTURE

1838 5.6.2 XML SCHEMA

```

1839 <?xml version="1.0" encoding="UTF-8"?>
1840 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
1841   xmlns="urn:entsoe.eu:wgedi:ecan:implicitauctionresultdocument:6:0"
1842   targetNamespace="urn:entsoe.eu:wgedi:ecan:implicitauctionresultdocument:6:0" elementFormDefault="qualified"
1843   attributeFormDefault="unqualified">
1844     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
1845 components.xsd"/>
1846     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-implicitauctionresultdocument-6-0-restricted-codes.xsd"/>
1847     <!--
1848       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
1849       Generation tool version 2.0
1850       -->
1851     <xsd:complexType name="Interval_Type">
1852       <xsd:annotation>
1853         <xsd:documentation/>
1854       </xsd:annotation>
1855       <xsd:sequence>
1856         <xsd:element name="Pos" type="ecc:PositionType">
1857           <xsd:annotation>
1858             <xsd:documentation/>
1859           </xsd:annotation>
1860         </xsd:element>
1861         <xsd:element name="Qty" type="ecc:QuantityType">
1862           <xsd:annotation>
1863             <xsd:documentation/>
1864           </xsd:annotation>
1865         </xsd:element>
1866         <xsd:element name="Price" type="ecc:AmountType">
1867           <xsd:annotation>
1868             <xsd:documentation/>
1869           </xsd:annotation>
1870         </xsd:element>
1871       </xsd:sequence>
1872     </xsd:complexType>
1873     <xsd:complexType name="Period_Type">
1874       <xsd:annotation>
1875         <xsd:documentation/>
1876       </xsd:annotation>
1877       <xsd:sequence>
1878         <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
1879           <xsd:annotation>
1880             <xsd:documentation/>
1881           </xsd:annotation>
1882         </xsd:element>
1883         <xsd:element name="Resolution" type="ecc:ResolutionType">
1884           <xsd:annotation>
1885             <xsd:documentation/>
1886           </xsd:annotation>
1887         </xsd:element>
1888         <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded">
1889           </xsd:sequence>
1890         </xsd:complexType>
1891         <xsd:complexType name="ResultTimeSeries_Type">
1892           <xsd:annotation>
1893             <xsd:documentation/>
1894           </xsd:annotation>
1895           <xsd:sequence>
1896             <xsd:element name="TimeSeriesIdentification" type="ecc:IdentificationType">
1897               <xsd:annotation>
1898                 <xsd:documentation/>
1899               </xsd:annotation>
1900             </xsd:element>
1901             <xsd:element name="AllocationIdentification" type="ecc:IdentificationType" minOccurs="0">
1902               <xsd:annotation>
1903                 <xsd:documentation/>
1904               </xsd:annotation>
1905             </xsd:element>
1906             <xsd:element name="AllocationType" type="AuctionType" minOccurs="0">
```

VERSION: 1

```

1907          <xsd:annotation>
1908              <xsd:documentation/>
1909          </xsd:annotation>
1910      </xsd:element>
1911      <xsd:element name="BusinessType" type="BusinessType">
1912          <xsd:annotation>
1913              <xsd:documentation/>
1914          </xsd:annotation>
1915      </xsd:element>
1916      <xsd:element name="InArea" type="ecc:AreaType">
1917          <xsd:annotation>
1918              <xsd:documentation/>
1919          </xsd:annotation>
1920      </xsd:element>
1921      <xsd:element name="OutArea" type="ecc:AreaType">
1922          <xsd:annotation>
1923              <xsd:documentation/>
1924          </xsd:annotation>
1925      </xsd:element>
1926      <xsd:element name="ContractType" type="ecc:ContractType" minOccurs="0">
1927          <xsd:annotation>
1928              <xsd:documentation/>
1929          </xsd:annotation>
1930      </xsd:element>
1931      <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType">
1932          <xsd:annotation>
1933              <xsd:documentation/>
1934          </xsd:annotation>
1935      </xsd:element>
1936      <xsd:element name="Currency" type="ecc:CurrencyType">
1937          <xsd:annotation>
1938              <xsd:documentation/>
1939          </xsd:annotation>
1940      </xsd:element>
1941      <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType">
1942          <xsd:annotation>
1943              <xsd:documentation/>
1944          </xsd:annotation>
1945      </xsd:element>
1946      <xsd:element name="CurveType" type="CurveType" minOccurs="0">
1947          <xsd:annotation>
1948              <xsd:documentation/>
1949          </xsd:annotation>
1950      </xsd:element>
1951      <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
1952          <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
1953      </xsd:sequence>
1954  </xsd:complexType>
1955  <xsd:element name="ImplicitAuctionResultDocument">
1956      <xsd:complexType>
1957          <xsd:annotation>
1958              <xsd:documentation/>
1959          </xsd:annotation>
1960      <xsd:sequence>
1961          <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
1962              <xsd:annotation>
1963                  <xsd:documentation/>
1964              </xsd:annotation>
1965          </xsd:element>
1966          <xsd:element name="DocumentVersion" type="ecc:VersionType">
1967              <xsd:annotation>
1968                  <xsd:documentation/>
1969              </xsd:annotation>
1970          </xsd:element>
1971          <xsd:element name="DocumentType" type="DocumentType">
1972              <xsd:annotation>
1973                  <xsd:documentation/>
1974              </xsd:annotation>
1975          </xsd:element>
1976          <xsd:element name="SenderIdentification" type="ecc:PartyType">
1977              <xsd:annotation>
```

```

1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="SenderRole" type="RoleType">
    <xsd:annotation>
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
    <xsd:annotation>
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="ReceiverRole" type="RoleType">
    <xsd:annotation>
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
    <xsd:annotation>
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="PublicationTimeInterval" type="ecc:TimeIntervalType">
    <xsd:annotation>
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="Domain" type="ecc:AreaType" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation/>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="ResultTimeSeries" type="ResultTimeSeries_Type"
maxOccurs="unbounded">
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:complexType name="Reason_Type">
  <xsd:annotation>
    <xsd:documentation/>
  </xsd:annotation>
  <xsd:sequence>
    <xsd:element name="ReasonCode" type="ecc:ReasonCodeType">
      <xsd:annotation>
        <xsd:documentation/>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
      <xsd:annotation>
        <xsd:documentation/>
      </xsd:annotation>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:schema>
```

5.6.3 RESTRICTED CODELIST

```

2035 <?xml version="1.0" encoding="UTF-8"?>
2036 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
2037 elementFormDefault="qualified" attributeFormDefault="unqualified">
2038   <!-- import the codelists -->
2039   <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
2040 codelists.xsd"/>
2041   <!-- include the local message restrictions -->
2042   <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-implicitauctionresultdocument-6-0-local-restrictions.xsd"/>
2043   <!-- restricted codelists -->
2044   <xsd:complexType name="DocumentType">
2045     <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
```

VERSION: 1

```

2046      </xsd:complexType>
2047      <xsd:simpleType name="StandardRestrictedDocumentType">
2048          <xsd:restriction base="ecl:StandardDocumentTypeList">
2049              <xsd:enumeration value="A25"/>
2050          </xsd:restriction>
2051      </xsd:simpleType>
2052      <xsd:simpleType name="RestrictedDocumentType">
2053          <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
2054      </xsd:simpleType>
2055      <xsd:complexType name="RoleType">
2056          <xsd:attribute name="v" type="RestrictedRoleType" use="required"/>
2057      </xsd:complexType>
2058      <xsd:simpleType name="StandardRestrictedRoleType">
2059          <xsd:restriction base="ecl:StandardRoleTypeList">
2060              <xsd:enumeration value="A04"/>
2061              <xsd:enumeration value="A07"/>
2062              <xsd:enumeration value="A11"/>
2063              <xsd:enumeration value="A32"/>
2064              <xsd:enumeration value="A33"/>
2065          </xsd:restriction>
2066      </xsd:simpleType>
2067      <xsd:simpleType name="RestrictedRoleType">
2068          <xsd:union memberTypes="StandardRestrictedRoleType LocalRestrictedRoleType"/>
2069      </xsd:simpleType>
2070      <xsd:complexType name="AuctionType">
2071          <xsd:attribute name="v" type="RestrictedAuctionType" use="required"/>
2072      </xsd:complexType>
2073      <xsd:simpleType name="StandardRestrictedAuctionType">
2074          <xsd:restriction base="ecl:StandardAuctionTypeList">
2075              <xsd:enumeration value="A01"/>
2076          </xsd:restriction>
2077      </xsd:simpleType>
2078      <xsd:simpleType name="RestrictedAuctionType">
2079          <xsd:union memberTypes="StandardRestrictedAuctionType LocalRestrictedAuctionType"/>
2080      </xsd:simpleType>
2081      <xsd:complexType name="BusinessType">
2082          <xsd:attribute name="v" type="RestrictedBusinessType" use="required"/>
2083      </xsd:complexType>
2084      <xsd:simpleType name="StandardRestrictedBusinessType">
2085          <xsd:restriction base="ecl:StandardBusinessTypeList">
2086              <xsd:enumeration value="A47"/>
2087              <xsd:enumeration value="A48"/>
2088          </xsd:restriction>
2089      </xsd:simpleType>
2090      <xsd:simpleType name="RestrictedBusinessType">
2091          <xsd:union memberTypes="StandardRestrictedBusinessType LocalRestrictedBusinessType"/>
2092      </xsd:simpleType>
2093      <xsd:complexType name="CurveType">
2094          <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
2095      </xsd:complexType>
2096      <xsd:simpleType name="StandardRestrictedCurveType">
2097          <xsd:restriction base="ecl:StandardCurveTypeList">
2098              <xsd:enumeration value="A01"/>
2099              <xsd:enumeration value="A03"/>
2100          </xsd:restriction>
2101      </xsd:simpleType>
2102      <xsd:simpleType name="RestrictedCurveType">
2103          <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
2104      </xsd:simpleType>
2105  </xsd:schema>
```

2106 **5.7 PUBLICATION DOCUMENT**


2107 **5.7.1 RULES GOVERNING THE WINNERS CLASS**

2108 The winners class may be used to provide the identification of all the parties that were
2109 assigned capacity in the auction being described.

2110 **5.7.1.1 IDENTIFICATION**

ACTION	DESCRIPTION
Definition of element	The identification of the party that was allocated capacity in an auction.
Description	An identification that identifies a winning market participant. The codification scheme used for the coded identification is indicated by the coding scheme attribute. Refer to ENTSO-E Core Component Code list document for valid coding scheme codes.
Size	The maximum length of a party identification is 16 alphanumeric characters. The maximum length of the coding scheme code is 3 alphanumeric characters.
Applicability	Both the identification and the coding scheme are mandatory.
Dependence requirements	None.

2112 **5.7.2 XML SCHEMA STRUCTURE**



2113

2114

FIGURE 7: PUBLICATION DOCUMENT STRUCTURE

2115 **5.7.3 XML SCHEMA**

2116 <?xml version="1.0" encoding="UTF-8"?>

ENTSO-E CORRIGENDUM TO ECAN, ACKNOWLEDGEMENT, ESR
AND ESP IMPLEMENTATION GUIDES

VERSION: 1

```

2117 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
2118   xmlns="urn:entsoe.eu:wgedi:ecan:publicationdocument:6:0"
2119   targetNamespace="urn:entsoe.eu:wgedi:ecan:publicationdocument:6:0" elementFormDefault="qualified"
2120   attributeFormDefault="unqualified">
2121     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
2122 components.xsd"/>
2123     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-publicationdocument-6-0-restricted-codes.xsd"/>
2124     <!--
2125         ENTSO-E Document Automatically generated from a UML class diagram using XMI.
2126         Generation tool version 2.0
2127         -->
2128     <xsd:complexType name="Interval_Type">
2129       <xsd:annotation>
2130         <xsd:documentation/>
2131       </xsd:annotation>
2132       <xsd:sequence>
2133         <xsd:element name="Pos" type="ecc:PositionType">
2134           <xsd:annotation>
2135             <xsd:documentation/>
2136           </xsd:annotation>
2137         </xsd:element>
2138         <xsd:element name="Qty" type="ecc:QuantityType" minOccurs="0">
2139           <xsd:annotation>
2140             <xsd:documentation/>
2141           </xsd:annotation>
2142         </xsd:element>
2143         <xsd:element name="Price" type="ecc:AmountType" minOccurs="0">
2144           <xsd:annotation>
2145             <xsd:documentation/>
2146           </xsd:annotation>
2147         </xsd:element>
2148         <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
2149       </xsd:sequence>
2150     </xsd:complexType>
2151     <xsd:complexType name="Period_Type">
2152       <xsd:annotation>
2153         <xsd:documentation/>
2154       </xsd:annotation>
2155       <xsd:sequence>
2156         <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
2157           <xsd:annotation>
2158             <xsd:documentation/>
2159           </xsd:annotation>
2160         </xsd:element>
2161         <xsd:element name="Resolution" type="ecc:ResolutionType">
2162           <xsd:annotation>
2163             <xsd:documentation/>
2164           </xsd:annotation>
2165         </xsd:element>
2166         <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded"/>
2167       </xsd:sequence>
2168     </xsd:complexType>
2169     <xsd:complexType name="PublicationTimeSeries_Type">
2170       <xsd:annotation>
2171         <xsd:documentation/>
2172       </xsd:annotation>
2173       <xsd:sequence>
2174         <xsd:element name="TimeSeriesIdentification" type="ecc:IdentificationType">
2175           <xsd:annotation>
2176             <xsd:documentation/>
2177           </xsd:annotation>
2178         </xsd:element>
2179         <xsd:element name="AllocationIdentification" type="ecc:IdentificationType" minOccurs="0">
2180           <xsd:annotation>
2181             <xsd:documentation/>
2182           </xsd:annotation>
2183         </xsd:element>
2184         <xsd:element name="AllocationType" type="AuctionType" minOccurs="0">
2185           <xsd:annotation>
2186             <xsd:documentation/>
2187           </xsd:annotation>

```

```

2188 </xsd:element>
2189 <xsd:element name="BusinessType" type="BusinessType">
2190     <xsd:annotation>
2191         <xsd:documentation/>
2192     </xsd:annotation>
2193 </xsd:element>
2194 <xsd:element name="InArea" type="ecc:AreaType">
2195     <xsd:annotation>
2196         <xsd:documentation/>
2197     </xsd:annotation>
2198 </xsd:element>
2199 <xsd:element name="OutArea" type="ecc:AreaType">
2200     <xsd:annotation>
2201         <xsd:documentation/>
2202     </xsd:annotation>
2203 </xsd:element>
2204 <xsd:element name="ContractType" type="ecc:ContractType" minOccurs="0">
2205     <xsd:annotation>
2206         <xsd:documentation/>
2207     </xsd:annotation>
2208 </xsd:element>
2209 <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType" minOccurs="0">
2210     <xsd:annotation>
2211         <xsd:documentation/>
2212     </xsd:annotation>
2213 </xsd:element>
2214 <xsd:element name="Currency" type="ecc:CurrencyType" minOccurs="0">
2215     <xsd:annotation>
2216         <xsd:documentation/>
2217     </xsd:annotation>
2218 </xsd:element>
2219 <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType" minOccurs="0">
2220     <xsd:annotation>
2221         <xsd:documentation/>
2222     </xsd:annotation>
2223 </xsd:element>
2224 <xsd:element name="ClassificationCategory" type="CategoryType" minOccurs="0">
2225     <xsd:annotation>
2226         <xsd:documentation/>
2227     </xsd:annotation>
2228 </xsd:element>
2229 <xsd:element name="ClassificationSequence" type="ecc:PositionType" minOccurs="0">
2230     <xsd:annotation>
2231         <xsd:documentation/>
2232     </xsd:annotation>
2233 </xsd:element>
2234 <xsd:element name="ParticipantNumber" type="ecc:QuantityType" minOccurs="0">
2235     <xsd:annotation>
2236         <xsd:documentation/>
2237     </xsd:annotation>
2238 </xsd:element>
2239 <xsd:element name="ParticipantWinnerNumber" type="ecc:QuantityType" minOccurs="0">
2240     <xsd:annotation>
2241         <xsd:documentation/>
2242     </xsd:annotation>
2243 </xsd:element>
2244 <xsd:element name="CurveType" type="CurveType" minOccurs="0">
2245     <xsd:annotation>
2246         <xsd:documentation/>
2247     </xsd:annotation>
2248 </xsd:element>
2249 <xsd:element name="Period" type="Period_Type" minOccurs="0" maxOccurs="unbounded"/>
2250 <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
2251 <xsd:element name="Winners" type="Winners_Type" minOccurs="0" maxOccurs="unbounded"/>
2252 </xsd:sequence>
2253 </xsd:complexType>
2254 <xsd:element name="PublicationDocument">
2255     <xsd:complexType>
2256         <xsd:annotation>
2257             <xsd:documentation/>
2258         </xsd:annotation>

```

```

2259 <xsd:sequence>
2260     <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
2261         <xsd:annotation>
2262             <xsd:documentation/>
2263         </xsd:annotation>
2264     </xsd:element>
2265     <xsd:element name="DocumentVersion" type="ecc:VersionType">
2266         <xsd:annotation>
2267             <xsd:documentation/>
2268         </xsd:annotation>
2269     </xsd:element>
2270     <xsd:element name="DocumentType" type="DocumentType">
2271         <xsd:annotation>
2272             <xsd:documentation/>
2273         </xsd:annotation>
2274     </xsd:element>
2275     <xsd:element name="SenderIdentification" type="ecc:PartyType">
2276         <xsd:annotation>
2277             <xsd:documentation/>
2278         </xsd:annotation>
2279     </xsd:element>
2280     <xsd:element name="SenderRole" type="RoleType">
2281         <xsd:annotation>
2282             <xsd:documentation/>
2283         </xsd:annotation>
2284     </xsd:element>
2285     <xsd:element name="ReceiverIdentification" type="ecc:PartyType" minOccurs="0">
2286         <xsd:annotation>
2287             <xsd:documentation/>
2288         </xsd:annotation>
2289     </xsd:element>
2290     <xsd:element name="ReceiverRole" type="ReceiverRoleType" minOccurs="0">
2291         <xsd:annotation>
2292             <xsd:documentation/>
2293         </xsd:annotation>
2294     </xsd:element>
2295     <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
2296         <xsd:annotation>
2297             <xsd:documentation/>
2298         </xsd:annotation>
2299     </xsd:element>
2300     <xsd:element name="PublicationTimeInterval" type="ecc:TimeIntervalType">
2301         <xsd:annotation>
2302             <xsd:documentation/>
2303         </xsd:annotation>
2304     </xsd:element>
2305     <xsd:element name="Domain" type="ecc:AreaType" minOccurs="0">
2306         <xsd:annotation>
2307             <xsd:documentation/>
2308         </xsd:annotation>
2309     </xsd:element>
2310     <xsd:element name="PublicationTimeSeries" type="PublicationTimeSeries_Type"
2311 maxOccurs="unbounded">
2312         </xsd:sequence>
2313     </xsd:complexType>
2314 </xsd:element>
2315 <xsd:complexType name="Reason_Type">
2316     <xsd:annotation>
2317         <xsd:documentation/>
2318     </xsd:annotation>
2319     <xsd:sequence>
2320         <xsd:element name="ReasonCode" type="ecc:ReasonCodeType">
2321             <xsd:annotation>
2322                 <xsd:documentation/>
2323             </xsd:annotation>
2324         </xsd:element>
2325         <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
2326             <xsd:annotation>
2327                 <xsd:documentation/>
2328             </xsd:annotation>
2329         </xsd:element>

```

```

2330          </xsd:sequence>
2331      </xsd:complexType>
2332      <xsd:complexType name="Winners_Type">
2333          <xsd:annotation>
2334              <xsd:documentation/>
2335          </xsd:annotation>
2336          <xsd:sequence>
2337              <xsd:element name="Identification" type="ecc:PartyType">
2338                  <xsd:annotation>
2339                      <xsd:documentation/>
2340                  </xsd:annotation>
2341          </xsd:element>
2342      </xsd:sequence>
2343  </xsd:complexType>
2344 </xsd:schema>
```

2345 5.7.4 RESTRICTED CODELIST

```

2346 <?xml version="1.0" encoding="UTF-8"?>
2347 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
2348 elementFormDefault="qualified" attributeFormDefault="unqualified">
2349     <!-- import the codelists -->
2350     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
2351 codelists.xsd"/>
2352         <!-- include the local message restrictions -->
2353         <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-publicationdocument-6-0-local-restrictions.xsd"/>
2354         <!-- restricted codelists -->
2355         <xsd:complexType name="DocumentType">
2356             <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
2357         </xsd:complexType>
2358         <xsd:simpleType name="StandardRestrictedDocumentType">
2359             <xsd:restriction base="ecl:StandardDocumentTypeList">
2360                 <xsd:enumeration value="A25"/>
2361                 <xsd:enumeration value="A31"/>
2362                 <xsd:enumeration value="A44"/>
2363             </xsd:restriction>
2364         </xsd:simpleType>
2365         <xsd:simpleType name="RestrictedDocumentType">
2366             <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
2367         </xsd:simpleType>
2368         <xsd:complexType name="RoleType">
2369             <xsd:attribute name="v" type="RestrictedRoleType" use="required"/>
2370         </xsd:complexType>
2371         <xsd:simpleType name="StandardRestrictedRoleType">
2372             <xsd:restriction base="ecl:StandardRoleTypeList">
2373                 <xsd:enumeration value="A04"/>
2374                 <xsd:enumeration value="A07"/>
2375                 <xsd:enumeration value="A32"/>
2376             </xsd:restriction>
2377         </xsd:simpleType>
2378         <xsd:simpleType name="RestrictedRoleType">
2379             <xsd:union memberTypes="StandardRestrictedRoleType LocalRestrictedRoleType"/>
2380         </xsd:simpleType>
2381         <xsd:complexType name="ReceiverRoleType">
2382             <xsd:attribute name="v" type="RestrictedReceiverRoleType" use="required"/>
2383         </xsd:complexType>
2384         <xsd:simpleType name="StandardRestrictedReceiverRoleType">
2385             <xsd:restriction base="ecl:StandardRoleTypeList">
2386                 <xsd:enumeration value="A32"/>
2387                 <xsd:enumeration value="A33"/>
2388             </xsd:restriction>
2389         </xsd:simpleType>
2390         <xsd:simpleType name="RestrictedReceiverRoleType">
2391             <xsd:union memberTypes="StandardRestrictedReceiverRoleType LocalRestrictedReceiverRoleType"/>
2392         </xsd:simpleType>
2393         <xsd:complexType name="AuctionType">
2394             <xsd:attribute name="v" type="RestrictedAuctionType" use="required"/>
2395         </xsd:complexType>
2396         <xsd:simpleType name="StandardRestrictedAuctionType">
2397             <xsd:restriction base="ecl:StandardAuctionTypeList">
```


VERSION: 1

```

2398             <xsd:enumeration value="A01"/>
2399             <xsd:enumeration value="A02"/>
2400             <xsd:enumeration value="A03"/>
2401             <xsd:enumeration value="A04"/>
2402             <xsd:enumeration value="A05"/>
2403         </xsd:restriction>
2404     </xsd:simpleType>
2405     <xsd:simpleType name="RestrictedAuctionType">
2406         <xsd:union memberTypes="StandardRestrictedAuctionType LocalRestrictedAuctionType"/>
2407     </xsd:simpleType>
2408     <xsd:complexType name="BusinessType">
2409         <xsd:attribute name="v" type="RestrictedBusinessType" use="required"/>
2410     </xsd:complexType>
2411     <xsd:simpleType name="StandardRestrictedBusinessType">
2412         <xsd:restriction base="ecl:StandardBusinessTypeList">
2413             <xsd:enumeration value="A26"/>
2414             <xsd:enumeration value="A27"/>
2415             <xsd:enumeration value="A31"/>
2416             <xsd:enumeration value="A42"/>
2417             <xsd:enumeration value="A43"/>
2418             <xsd:enumeration value="A47"/>
2419             <xsd:enumeration value="A48"/>
2420             <xsd:enumeration value="A57"/>
2421             <xsd:enumeration value="A62"/>
2422         </xsd:restriction>
2423     </xsd:simpleType>
2424     <xsd:simpleType name="RestrictedBusinessType">
2425         <xsd:union memberTypes="StandardRestrictedBusinessType LocalRestrictedBusinessType"/>
2426     </xsd:simpleType>
2427     <xsd:complexType name="CategoryType">
2428         <xsd:attribute name="v" type="RestrictedCategoryType" use="required"/>
2429     </xsd:complexType>
2430     <xsd:simpleType name="StandardRestrictedCategoryType">
2431         <xsd:restriction base="ecl:StandardCategoryTypeList">
2432             <xsd:enumeration value="A01"/>
2433             <xsd:enumeration value="A02"/>
2434             <xsd:enumeration value="A03"/>
2435         </xsd:restriction>
2436     </xsd:simpleType>
2437     <xsd:simpleType name="RestrictedCategoryType">
2438         <xsd:union memberTypes="StandardRestrictedCategoryType LocalRestrictedCategoryType"/>
2439     </xsd:simpleType>
2440     <xsd:complexType name="CurveType">
2441         <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
2442     </xsd:complexType>
2443     <xsd:simpleType name="StandardRestrictedCurveType">
2444         <xsd:restriction base="ecl:StandardCurveTypeList">
2445             <xsd:enumeration value="A01"/>
2446             <xsd:enumeration value="A03"/>
2447         </xsd:restriction>
2448     </xsd:simpleType>
2449     <xsd:simpleType name="RestrictedCurveType">
2450         <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
2451     </xsd:simpleType>
2452 </xsd:schema>
```

2453 **5.8 RIGHTS DOCUMENT**

2454 **5.8.1 XML SCHEMA STRUCTURE**



2455

2456

FIGURE 8: RIGHTS DOCUMENT STRUCTURE

2457 5.8.2 XML SCHEMA

```

2458 <?xml version="1.0" encoding="UTF-8"?>
2459 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
2460   xmlns="urn:entsoe.eu:wgedi:ecan:rightsdocument:6:0" targetNamespace="urn:entsoe.eu:wgedi:ecan:rightsdocument:6:0"
2461   elementFormDefault="qualified" attributeFormDefault="unqualified">
2462     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
2463 components.xsd"/>
2464     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-rightsdocument-6-0-restricted-codes.xsd"/>
2465     <!--
2466       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
2467       Generation tool version 2.0
2468     -->
2469     <xsd:complexType name="Interval_Type">
2470       <xsd:annotation>
2471         <xsd:documentation/>
2472       </xsd:annotation>
2473       <xsd:sequence>
2474         <xsd:element name="Pos" type="ecc:PositionType">
2475           <xsd:annotation>
2476             <xsd:documentation/>
2477           </xsd:annotation>
2478         </xsd:element>
2479         <xsd:element name="Qty" type="ecc:QuantityType">
2480           <xsd:annotation>
2481             <xsd:documentation/>
2482           </xsd:annotation>
2483         </xsd:element>
2484         <xsd:element name="Price" type="ecc:AmountType" minOccurs="0">
2485           <xsd:annotation>
2486             <xsd:documentation/>
2487           </xsd:annotation>
2488         </xsd:element>
2489       </xsd:sequence>
2490     </xsd:complexType>
2491     <xsd:complexType name="Period_Type">
2492       <xsd:annotation>
2493         <xsd:documentation/>
2494       </xsd:annotation>
2495       <xsd:sequence>
2496         <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
2497           <xsd:annotation>
2498             <xsd:documentation/>
2499           </xsd:annotation>
2500         </xsd:element>
2501         <xsd:element name="Resolution" type="ecc:ResolutionType">
2502           <xsd:annotation>
2503             <xsd:documentation/>
2504           </xsd:annotation>
2505         </xsd:element>
2506         <xsd:element name="Interval" type="Interval_Type" maxOccurs="unbounded"/>
2507       </xsd:sequence>
2508     </xsd:complexType>
2509     <xsd:complexType name="RightsTimeSeries_Type">
2510       <xsd:annotation>
2511         <xsd:documentation/>
2512       </xsd:annotation>
2513       <xsd:sequence>
2514         <xsd:element name="TimeSeriesIdentification" type="ecc:IdentificationType">
2515           <xsd:annotation>
2516             <xsd:documentation/>
2517           </xsd:annotation>
2518         </xsd:element>
2519         <xsd:element name="BusinessType" type="BusinessType">
2520           <xsd:annotation>
2521             <xsd:documentation/>
2522           </xsd:annotation>
2523         </xsd:element>
2524         <xsd:element name="InArea" type="ecc:AreaType">
2525           <xsd:annotation>
```

```

2526                               <xsd:documentation/>
2527                         </xsd:annotation>
2528                     </xsd:element>
2529             <xsd:element name="OutArea" type="ecc:AreaType">
2530                 <xsd:annotation>
2531                     <xsd:documentation/>
2532                 </xsd:annotation>
2533             </xsd:element>
2534             <xsd:element name="RightsHolder" type="ecc:PartyType">
2535                 <xsd:annotation>
2536                     <xsd:documentation/>
2537                 </xsd:annotation>
2538             </xsd:element>
2539             <xsd:element name="TransfereeParty" type="ecc:PartyType" minOccurs="0">
2540                 <xsd:annotation>
2541                     <xsd:documentation/>
2542                 </xsd:annotation>
2543             </xsd:element>
2544             <xsd:element name="ContractIdentification" type="ecc:IdentificationType">
2545                 <xsd:annotation>
2546                     <xsd:documentation/>
2547                 </xsd:annotation>
2548             </xsd:element>
2549             <xsd:element name="ContractType" type="ecc:ContractType">
2550                 <xsd:annotation>
2551                     <xsd:documentation/>
2552                 </xsd:annotation>
2553             </xsd:element>
2554             <xsd:element name="PreviousContractIdentification" type="ecc:IdentificationType" minOccurs="0">
2555                 <xsd:annotation>
2556                     <xsd:documentation/>
2557                 </xsd:annotation>
2558             </xsd:element>
2559             <xsd:element name="MeasureUnitQuantity" type="ecc:UnitOfMeasureType">
2560                 <xsd:annotation>
2561                     <xsd:documentation/>
2562                 </xsd:annotation>
2563             </xsd:element>
2564             <xsd:element name="AuctionIdentification" type="ecc:IdentificationType" minOccurs="0">
2565                 <xsd:annotation>
2566                     <xsd:documentation/>
2567                 </xsd:annotation>
2568             </xsd:element>
2569             <xsd:element name="Currency" type="ecc:CurrencyType" minOccurs="0">
2570                 <xsd:annotation>
2571                     <xsd:documentation/>
2572                 </xsd:annotation>
2573             </xsd:element>
2574             <xsd:element name="MeasureUnitPrice" type="ecc:UnitOfMeasureType" minOccurs="0">
2575                 <xsd:annotation>
2576                     <xsd:documentation/>
2577                 </xsd:annotation>
2578             </xsd:element>
2579             <xsd:element name="CurveType" type="CurveType" minOccurs="0">
2580                 <xsd:annotation>
2581                     <xsd:documentation/>
2582                 </xsd:annotation>
2583             </xsd:element>
2584             <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
2585             <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
2586         </xsd:sequence>
2587     </xsd:complexType>
2588     <xsd:element name="RightsDocument">
2589         <xsd:complexType>
2590             <xsd:annotation>
2591                 <xsd:documentation/>
2592             </xsd:annotation>
2593         <xsd:sequence>
2594             <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
2595                 <xsd:annotation>

```

```

2597                                <xsd:documentation/>
2598                            </xsd:annotation>
2599                        </xsd:element>
2600                        <xsd:element name="DocumentVersion" type="ecc:VersionType">
2601                            <xsd:annotation>
2602                                <xsd:documentation/>
2603                            </xsd:annotation>
2604                        </xsd:element>
2605                        <xsd:element name="DocumentType" type="DocumentType">
2606                            <xsd:annotation>
2607                                <xsd:documentation/>
2608                            </xsd:annotation>
2609                        </xsd:element>
2610                        <xsd:element name="SenderIdentification" type="ecc:PartyType">
2611                            <xsd:annotation>
2612                                <xsd:documentation/>
2613                            </xsd:annotation>
2614                        </xsd:element>
2615                        <xsd:element name="SenderRole" type="ecc:RoleType">
2616                            <xsd:annotation>
2617                                <xsd:documentation/>
2618                            </xsd:annotation>
2619                        </xsd:element>
2620                        <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
2621                            <xsd:annotation>
2622                                <xsd:documentation/>
2623                            </xsd:annotation>
2624                        </xsd:element>
2625                        <xsd:element name="ReceiverRole" type="ecc:RoleType">
2626                            <xsd:annotation>
2627                                <xsd:documentation/>
2628                            </xsd:annotation>
2629                        </xsd:element>
2630                        <xsd:element name="CreationDateTime" type="ecc:DocumentDateTimeType">
2631                            <xsd:annotation>
2632                                <xsd:documentation/>
2633                            </xsd:annotation>
2634                        </xsd:element>
2635                        <xsd:element name="ApplicableTimeInterval" type="ecc:TimeIntervalType">
2636                            <xsd:annotation>
2637                                <xsd:documentation/>
2638                            </xsd:annotation>
2639                        </xsd:element>
2640                        <xsd:element name="Domain" type="ecc:AreaType">
2641                            <xsd:annotation>
2642                                <xsd:documentation/>
2643                            </xsd:annotation>
2644                        </xsd:element>
2645                        <xsd:element name="DocumentStatus" type="ecc>StatusType">
2646                            <xsd:annotation>
2647                                <xsd:documentation/>
2648                            </xsd:annotation>
2649                        </xsd:element>
2650                        <xsd:element name="RightsTimeSeries" type="RightsTimeSeries_Type"
2651 minOccurs="0" maxOccurs="unbounded"/>
2652                            <xsd:element name="Reason" type="Reason_Type" minOccurs="0"
2653 maxOccurs="unbounded"/>
2654                                <xsd:sequence>
2655                            </xsd:complexType>
2656                        </xsd:element>
2657                        <xsd:complexType name="Reason_Type">
2658                            <xsd:annotation>
2659                                <xsd:documentation/>
2660                            </xsd:annotation>
2661                            <xsd:sequence>
2662                                <xsd:element name="ReasonCode" type="ReasonCodeType">
2663                                    <xsd:annotation>
2664                                        <xsd:documentation/>
2665                                    </xsd:annotation>
2666                                </xsd:element>
2667                                <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
```

```

2668             <xsd:annotation>
2669                 <xsd:documentation>
2670             </xsd:annotation>
2671         </xsd:element>
2672     </xsd:sequence>
2673 </xsd:complexType>
2674 </xsd:schema>
```

2675 5.8.3 RESTRICTED CODELIST

```

2676 <?xml version="1.0" encoding="UTF-8"?>
2677 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
2678     elementFormDefault="qualified" attributeFormDefault="unqualified">
2679         <!-- import the codelists -->
2680         <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
2681 codelists.xsd"/>
2682         <!-- include the local message restrictions -->
2683         <xsd:include schemaLocation="urn-entsoe-eu-wgedi-ecan-rightsdocument-6-0-local-restrictions.xsd"/>
2684         <!-- restricted codelists -->
2685         <xsd:complexType name="DocumentType">
2686             <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
2687         </xsd:complexType>
2688         <xsd:simpleType name="StandardRestrictedDocumentType">
2689             <xsd:restriction base="ecl:StandardDocumentTypeList">
2690                 <xsd:enumeration value="A19"/>
2691                 <xsd:enumeration value="A20"/>
2692                 <xsd:enumeration value="A21"/>
2693                 <xsd:enumeration value="A22"/>
2694                 <xsd:enumeration value="A23"/>
2695                 <xsd:enumeration value="A62"/>
2696             </xsd:restriction>
2697         </xsd:simpleType>
2698         <xsd:simpleType name="RestrictedDocumentType">
2699             <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
2700         </xsd:simpleType>
2701         <xsd:complexType name="BusinessType">
2702             <xsd:attribute name="v" type="RestrictedBusinessType" use="required"/>
2703         </xsd:complexType>
2704         <xsd:simpleType name="StandardRestrictedBusinessType">
2705             <xsd:restriction base="ecl:StandardBusinessTypeList">
2706                 <xsd:enumeration value="A32"/>
2707                 <xsd:enumeration value="A33"/>
2708                 <xsd:enumeration value="A34"/>
2709                 <xsd:enumeration value="A35"/>
2710                 <xsd:enumeration value="A36"/>
2711                 <xsd:enumeration value="A40"/>
2712                 <xsd:enumeration value="A41"/>
2713                 <xsd:enumeration value="A55"/>
2714                 <xsd:enumeration value="A56"/>
2715                 <xsd:enumeration value="A58"/>
2716                 <xsd:enumeration value="A59"/>
2717                 <xsd:enumeration value="A83"/>
2718                 <xsd:enumeration value="A84"/>
2719             </xsd:restriction>
2720         </xsd:simpleType>
2721         <xsd:simpleType name="RestrictedBusinessType">
2722             <xsd:union memberTypes="StandardRestrictedBusinessType LocalRestrictedBusinessType"/>
2723         </xsd:simpleType>
2724         <xsd:complexType name="CurveType">
2725             <xsd:attribute name="v" type="RestrictedCurveType" use="required"/>
2726         </xsd:complexType>
2727         <xsd:simpleType name="StandardRestrictedCurveType">
2728             <xsd:restriction base="ecl:StandardCurveTypeList">
2729                 <xsd:enumeration value="A01"/>
2730                 <xsd:enumeration value="A03"/>
2731             </xsd:restriction>
2732         </xsd:simpleType>
2733         <xsd:simpleType name="RestrictedCurveType">
2734             <xsd:union memberTypes="StandardRestrictedCurveType LocalRestrictedCurveType"/>
2735         </xsd:simpleType>
```


VERSION: 1

```
2736      <xsd:complexType name="ReasonCodeType">
2737          <xsd:attribute name="v" type="RestrictedReasonCodeType" use="required"/>
2738      </xsd:complexType>
2739      <xsd:simpleType name="StandardRestrictedReasonCodeType">
2740          <xsd:restriction base="ecl:StandardReasonCodeTypeList">
2741              <xsd:enumeration value="A75"/>
2742              <xsd:enumeration value="A97"/>
2743              <xsd:enumeration value="A98"/>
2744          </xsd:restriction>
2745      </xsd:simpleType>
2746      <xsd:simpleType name="RestrictedReasonCodeType">
2747          <xsd:union memberTypes="StandardRestrictedReasonCodeType LocalRestrictedReasonCodeType"/>
2748      </xsd:simpleType>
2749  </xsd:schema>
```

2750 6 ESP

2751 6.1 ENERGY ACCOUNT REPORT

2752 6.1.1 XML SCHEMA STRUCTURE



2753

2754

FIGURE 9: ENERGY ACCOUNT REPORT DOCUMENT STRUCTURE

2755 6.1.2 XML SCHEMA

```

2756 <?xml version="1.0" encoding="UTF-8"?>
2757 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
2758   xmlns="urn:entsoe.eu:wgedi:esp:energyaccountreport:2:0"
2759   targetNamespace="urn:entsoe.eu:wgedi:esp:energyaccountreport:2:0" elementFormDefault="qualified"
2760   attributeFormDefault="unqualified">
2761     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
2762 components.xsd"/>
2763     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-esp-energyaccountreport-2-0-restricted-codes.xsd"/>
2764   <!--
2765       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
2766       Generation tool version 2.0
2767     -->
2768   <xsd:element name="EnergyAccountReport">
2769     <xsd:complexType>
2770       <xsd:annotation>
2771         <xsd:documentation/>
2772       </xsd:annotation>
2773     <xsd:sequence>
2774       <xsd:element name="DocumentIdentification" type="ecc:IdentificationType">
2775         <xsd:annotation>
2776           <xsd:documentation/>
2777           </xsd:annotation>
2778       </xsd:element>
2779       <xsd:element name="DocumentVersion" type="ecc:VersionType">
2780         <xsd:annotation>
2781           <xsd:documentation/>
2782         </xsd:annotation>
2783       </xsd:element>
2784       <xsd:element name="DocumentType" type="DocumentType">
2785         <xsd:annotation>
2786           <xsd:documentation/>
2787         </xsd:annotation>
2788       </xsd:element>
2789       <xsd:element name="DocumentStatus" type="StatusType">
2790         <xsd:annotation>
2791           <xsd:documentation/>
2792         </xsd:annotation>
2793       </xsd:element>
2794       <xsd:element name="ProcessType" type="ProcessType">
2795         <xsd:annotation>
2796           <xsd:documentation/>
2797         </xsd:annotation>
2798       </xsd:element>
2799       <xsd:element name="ClassificationType" type="ClassificationType">
2800         <xsd:annotation>
2801           <xsd:documentation/>
2802         </xsd:annotation>
2803       </xsd:element>
2804       <xsd:element name="SenderIdentification" type="ecc:PartyType">
2805         <xsd:annotation>
2806           <xsd:documentation/>
2807         </xsd:annotation>
2808       </xsd:element>
2809       <xsd:element name="SenderRole" type="ecc:RoleType">
2810         <xsd:annotation>
2811           <xsd:documentation/>
2812         </xsd:annotation>
2813       </xsd:element>
2814       <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
2815         <xsd:annotation>
2816           <xsd:documentation/>
2817         </xsd:annotation>
2818       </xsd:element>
2819       <xsd:element name="ReceiverRole" type="ecc:RoleType">
2820         <xsd:annotation>
2821           <xsd:documentation/>
2822         </xsd:annotation>
2823       </xsd:element>

```

```

2824 <xsd:element name="DocumentDateTime" type="ecc:DocumentDateTimeType">
2825   <xsd:annotation>
2826     <xsd:documentation/>
2827   </xsd:annotation>
2828 </xsd:element>
2829 <xsd:element name="AccountingPeriod" type="ecc:TimeIntervalType">
2830   <xsd:annotation>
2831     <xsd:documentation/>
2832   </xsd:annotation>
2833 </xsd:element>
2834 <xsd:element name="Domain" type="ecc:AreaType" minOccurs="0">
2835   <xsd:annotation>
2836     <xsd:documentation/>
2837   </xsd:annotation>
2838 </xsd:element>
2839 <xsd:element name="AccountTimeSeries" type="AccountTimeSeries_Type"
2840 maxOccurs="unbounded">
2841   </xsd:sequence>
2842 </xsd:complexType>
2843 </xsd:element>
2844 <xsd:complexType name="AccountTimeSeries_Type">
2845   <xsd:annotation>
2846     <xsd:documentation/>
2847   </xsd:annotation>
2848   <xsd:sequence>
2849     <xsd:element name="SendersTimeSeriesIdentification" type="ecc:IdentificationType">
2850       <xsd:annotation>
2851         <xsd:documentation/>
2852       </xsd:annotation>
2853     </xsd:element>
2854     <xsd:element name="BusinessType" type="BusinessType">
2855       <xsd:annotation>
2856         <xsd:documentation/>
2857       </xsd:annotation>
2858     </xsd:element>
2859     <xsd:element name="Product" type="ecc:EnergyProductType">
2860       <xsd:annotation>
2861         <xsd:documentation/>
2862       </xsd:annotation>
2863     </xsd:element>
2864     <xsd:element name="ObjectAggregation" type="ObjectAggregationType">
2865       <xsd:annotation>
2866         <xsd:documentation/>
2867       </xsd:annotation>
2868     </xsd:element>
2869     <xsd:element name="Area" type="ecc:AreaType">
2870       <xsd:annotation>
2871         <xsd:documentation/>
2872       </xsd:annotation>
2873     </xsd:element>
2874     <xsd:element name="Party" type="ecc:PartyType" minOccurs="0">
2875       <xsd:annotation>
2876         <xsd:documentation/>
2877       </xsd:annotation>
2878     </xsd:element>
2879     <xsd:element name="AgreementIdentification" type="ecc:IdentificationType" minOccurs="0">
2880       <xsd:annotation>
2881         <xsd:documentation/>
2882       </xsd:annotation>
2883     </xsd:element>
2884     <xsd:element name="MeasurementUnit" type="ecc:UnitOfMeasureType">
2885       <xsd:annotation>
2886         <xsd:documentation/>
2887       </xsd:annotation>
2888     </xsd:element>
2889     <xsd:element name="Currency" type="ecc:CurrencyType" minOccurs="0">
2890       <xsd:annotation>
2891         <xsd:documentation/>
2892       </xsd:annotation>
2893     </xsd:element>
2894     <xsd:element name="AccountingPoint" type="ecc:MeteringPointType" minOccurs="0">
```

```

2895                               <xsd:annotation>
2896                                     <xsd:documentation/>
2897                               </xsd:annotation>
2898                         </xsd:element>
2899                           <xsd:element name="Period" type="Period_Type" maxOccurs="unbounded"/>
2900                     </xsd:sequence>
2901               </xsd:complexType>
2902                 <xsd:complexType name="Period_Type">
2903                   <xsd:annotation>
2904                     <xsd:documentation/>
2905                   </xsd:annotation>
2906                 <xsd:sequence>
2907                   <xsd:element name="TimeInterval" type="ecc:TimeIntervalType">
2908                     <xsd:annotation>
2909                       <xsd:documentation/>
2910                     </xsd:annotation>
2911                   </xsd:element>
2912                   <xsd:element name="Resolution" type="ecc:ResolutionType">
2913                     <xsd:annotation>
2914                       <xsd:documentation/>
2915                     </xsd:annotation>
2916                   </xsd:element>
2917                   <xsd:element name="AccountInterval" type="AccountInterval_Type" maxOccurs="unbounded"/>
2918             </xsd:sequence>
2919           </xsd:complexType>
2920             <xsd:complexType name="AccountInterval_Type">
2921               <xsd:annotation>
2922                 <xsd:documentation/>
2923               </xsd:annotation>
2924             <xsd:sequence>
2925               <xsd:element name="Pos" type="ecc:PositionType">
2926                 <xsd:annotation>
2927                   <xsd:documentation/>
2928                 </xsd:annotation>
2929               </xsd:element>
2930               <xsd:element name="InQty" type="ecc:QuantityType">
2931                 <xsd:annotation>
2932                   <xsd:documentation/>
2933                 </xsd:annotation>
2934               </xsd:element>
2935               <xsd:element name="OutQty" type="ecc:QuantityType">
2936                 <xsd:annotation>
2937                   <xsd:documentation/>
2938                 </xsd:annotation>
2939               </xsd:element>
2940               <xsd:element name="SettlementAmount" type="ecc:AmountType" minOccurs="0">
2941                 <xsd:annotation>
2942                   <xsd:documentation/>
2943                 </xsd:annotation>
2944               </xsd:element>
2945             </xsd:sequence>
2946           </xsd:complexType>
2947         </xsd:schema>

```

2948 6.1.3 RESTRICTED CODELIST

```

2949 <?xml version="1.0" encoding="UTF-8"?>
2950 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
2951   elementFormDefault="qualified" attributeFormDefault="unqualified">
2952     <!-- import the codelists -->
2953     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn:entsoe-eu-wgedi-
2954       codelists.xsd"/>
2955     <!-- include the local message restrictions -->
2956     <xsd:include schemaLocation="urn:entsoe-eu-wgedi-esp-energyaccountreport-2-0-local-restrictions.xsd"/>
2957     <!-- restricted codelists -->
2958     <xsd:complexType name="DocumentType">
2959       <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
2960     </xsd:complexType>
2961     <xsd:simpleType name="StandardRestrictedDocumentType">
2962       <xsd:restriction base="ecl:StandardDocumentTypeList">

```

VERSION: 1

```

2963      <xsd:enumeration value="A09"/>
2964      <xsd:enumeration value="A10"/>
2965      <xsd:enumeration value="A11"/>
2966      <xsd:enumeration value="A12"/>
2967    </xsd:restriction>
2968  </xsd:simpleType>
2969  <xsd:simpleType name="RestrictedDocumentType">
2970    <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
2971  </xsd:simpleType>
2972  <xsd:complexType name="StatusType">
2973    <xsd:attribute name="v" type="RestrictedStatusType" use="required"/>
2974  </xsd:complexType>
2975  <xsd:simpleType name="StandardRestrictedStatusType">
2976    <xsd:restriction base="ecl:StandardStatusTypeList">
2977      <xsd:enumeration value="A01"/>
2978      <xsd:enumeration value="A02"/>
2979    </xsd:restriction>
2980  </xsd:simpleType>
2981  <xsd:simpleType name="RestrictedStatusType">
2982    <xsd:union memberTypes="StandardRestrictedStatusType LocalRestrictedStatusType"/>
2983  </xsd:simpleType>
2984  <xsd:complexType name="ProcessType">
2985    <xsd:attribute name="v" type="RestrictedProcessType" use="required"/>
2986  </xsd:complexType>
2987  <xsd:simpleType name="StandardRestrictedProcessType">
2988    <xsd:restriction base="ecl:StandardProcessTypeList">
2989      <xsd:enumeration value="A04"/>
2990      <xsd:enumeration value="A05"/>
2991      <xsd:enumeration value="A06"/>
2992    </xsd:restriction>
2993  </xsd:simpleType>
2994  <xsd:simpleType name="RestrictedProcessType">
2995    <xsd:union memberTypes="StandardRestrictedProcessType LocalRestrictedProcessType"/>
2996  </xsd:simpleType>
2997  <xsd:complexType name="ClassificationType">
2998    <xsd:attribute name="v" type="RestrictedClassificationType" use="required"/>
2999  </xsd:complexType>
3000  <xsd:simpleType name="StandardRestrictedClassificationType">
3001    <xsd:restriction base="ecl:StandardClassificationTypeList">
3002      <xsd:enumeration value="A01"/>
3003      <xsd:enumeration value="A02"/>
3004    </xsd:restriction>
3005  </xsd:simpleType>
3006  <xsd:simpleType name="RestrictedClassificationType">
3007    <xsd:union memberTypes="StandardRestrictedClassificationType LocalRestrictedClassificationType"/>
3008  </xsd:simpleType>
3009  <xsd:complexType name="BusinessType">
3010    <xsd:attribute name="v" type="RestrictedBusinessType" use="required"/>
3011  </xsd:complexType>
3012  <xsd:simpleType name="StandardRestrictedBusinessType">
3013    <xsd:restriction base="ecl:StandardBusinessTypeList">
3014      <xsd:enumeration value="A02"/>
3015      <xsd:enumeration value="A03"/>
3016      <xsd:enumeration value="A09"/>
3017      <xsd:enumeration value="A10"/>
3018      <xsd:enumeration value="A11"/>
3019      <xsd:enumeration value="A12"/>
3020      <xsd:enumeration value="A13"/>
3021      <xsd:enumeration value="A14"/>
3022      <xsd:enumeration value="A15"/>
3023      <xsd:enumeration value="A16"/>
3024      <xsd:enumeration value="A17"/>
3025      <xsd:enumeration value="A18"/>
3026      <xsd:enumeration value="A19"/>
3027      <xsd:enumeration value="A20"/>
3028      <xsd:enumeration value="A21"/>
3029      <xsd:enumeration value="A22"/>
3030      <xsd:enumeration value="A23"/>
3031      <xsd:enumeration value="A24"/>
3032    </xsd:restriction>
3033  </xsd:simpleType>
```


VERSION: 1

```
3034      <xsd:simpleType name="RestrictedBusinessType">
3035          <xsd:union memberTypes="StandardRestrictedBusinessType LocalRestrictedBusinessType"/>
3036      </xsd:simpleType>
3037      <xsd:complexType name="ObjectAggregationType">
3038          <xsd:attribute name="v" type="RestrictedObjectAggregationType" use="required"/>
3039      </xsd:complexType>
3040      <xsd:simpleType name="StandardRestrictedObjectAggregationType">
3041          <xsd:restriction base="ecl:StandardObjectAggregationTypeList">
3042              <xsd:enumeration value="A01"/>
3043              <xsd:enumeration value="A03"/>
3044          </xsd:restriction>
3045      </xsd:simpleType>
3046      <xsd:simpleType name="RestrictedObjectAggregationType">
3047          <xsd:union memberTypes="StandardRestrictedObjectAggregationType
3048 LocalRestrictedObjectAggregationType"/>
3049      </xsd:simpleType>
3050  </xsd:schema>
```

3051 7 ESR

3052 7.1 STATUS REQUEST

3053 7.1.1 XML SCHEMA STRUCTURE



3054

3055

FIGURE 10: STATUS REQUEST DOCUMENT STRUCTURE

3056 7.1.2 XML SCHEMA

```

3057 <?xml version="1.0" encoding="UTF-8"?>
3058 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
3059   xmlns="urn:entsoe.eu:wgedi:esr:statusrequestdocument:3:0"
3060   targetNamespace="urn:entsoe.eu:wgedi:esr:statusrequestdocument:3:0" elementFormDefault="qualified"
3061   attributeFormDefault="unqualified">
3062     <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
3063     components.xsd"/>
3064     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-esr-statusrequestdocument-3-0-restricted-codes.xsd"/>
3065     <!--
3066       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
3067       Generation tool version 2.0
3068       -->
3069     <xsd:element name="StatusRequestDocument">
3070       <xsd:complexType>
3071         <xsd:annotation>
3072           <xsd:documentation/>
3073         </xsd:annotation>
3074         <xsd:sequence>
3075           <xsd:element name="DocumentIdentification" type="ecc:identificationType">
3076             <xsd:annotation>
3077               <xsd:documentation/>
3078             </xsd:annotation>
3079           </xsd:element>
3080           <xsd:element name="DocumentType" type="ecc:DocumentType">
3081             <xsd:annotation>
3082               <xsd:documentation/>
3083             </xsd:annotation>
3084           </xsd:element>
3085           <xsd:element name="SenderIdentification" type="ecc:PartyType">
3086             <xsd:annotation>
3087               <xsd:documentation/>
3088             </xsd:annotation>
3089           </xsd:element>
3090           <xsd:element name="SenderRole" type="ecc:RoleType">
3091             <xsd:annotation>
3092               <xsd:documentation/>
3093             </xsd:annotation>
3094           </xsd:element>
3095           <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
3096             <xsd:annotation>
3097               <xsd:documentation/>
3098             </xsd:annotation>
3099           </xsd:element>
3100           <xsd:element name="ReceiverRole" type="ecc:RoleType">
3101             <xsd:annotation>
3102               <xsd:documentation/>
3103             </xsd:annotation>
3104           </xsd:element>
3105           <xsd:element name="CreationDateTime" type="ecc:DateTimeType">
3106             <xsd:annotation>
3107               <xsd:documentation/>
3108             </xsd:annotation>
3109           </xsd:element>
3110           <xsd:element name="RequestComponent" type="RequestComponent_Type"
3111             maxOccurs="unbounded">
3112             <xsd:sequence>
3113               </xsd:complexType>
3114             </xsd:element>
3115             <xsd:complexType name="RequestComponent_Type">
3116               <xsd:annotation>
3117                 <xsd:documentation/>
3118               </xsd:annotation>
3119               <xsd:sequence>
3120                 <xsd:element name="RequestedAttribute" type="ecc:ComponentNameType">
3121                   <xsd:annotation>
3122                     <xsd:documentation/>
3123                   </xsd:annotation>

```

VERSION: 1

```
3124      </xsd:element>
3125      <xsd:element name="RequestedAttributeValue" type="ecc:ComponentValueType">
3126          <xsd:annotation>
3127              <xsd:documentation>
3128          </xsd:annotation>
3129      </xsd:element>
3130  </xsd:sequence>
3131 </xsd:complexType>
3132 </xsd:schema>
```


3133 7.1.3 RESTRICTED CODELIST

```
3134 <?xml version="1.0" encoding="UTF-8"?>
3135 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
3136 elementFormDefault="qualified" attributeFormDefault="unqualified">
3137     <!-- import the codelists -->
3138     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
3139 codelists.xsd"/>
3140     <!-- include the local message restrictions -->
3141     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-esr-statusrequestdocument-3-0-local-restrictions.xsd"/>
3142     <!-- restricted codelists -->
3143     <xsd:complexType name="DocumentType">
3144         <xsd:attribute name="v" type="RestrictedDocumentType" use="required"/>
3145     </xsd:complexType>
3146     <xsd:simpleType name="StandardRestrictedDocumentType">
3147         <xsd:restriction base="ecl:StandardDocumentTypeList">
3148             <xsd:enumeration value="A59"/>
3149             <xsd:enumeration value="A60"/>
3150         </xsd:restriction>
3151     </xsd:simpleType>
3152     <xsd:simpleType name="RestrictedDocumentType">
3153         <xsd:union memberTypes="StandardRestrictedDocumentType LocalRestrictedDocumentType"/>
3154     </xsd:simpleType>
3155 </xsd:schema>
```

3156 8 ACKNOWLEDGEMENT

3157 8.1 ACKNOWLEDGEMENT DOCUMENT

3158 8.1.1 XML SCHEMA STRUCTURE



3159

3160

FIGURE 11: ACKNOWLEDGMENT DOCUMENT STRUCTURE

3161

3162 8.1.2 XML SCHEMA

```

3163 <?xml version="1.0" encoding="UTF-8"?>
3164 <xsd:schema xmlns:ecc="urn:entsoe.eu:wgedi:components" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
3165   xmlns="urn:entsoe.eu:wgedi:acknowledgement:acknowledgementdocument:6:0"
3166   targetNamespace="urn:entsoe.eu:wgedi:acknowledgement:acknowledgementdocument:6:0" elementFormDefault="qualified"
3167   attributeFormDefault="unqualified">
3168   <xsd:import namespace="urn:entsoe.eu:wgedi:components" schemaLocation="../../core/urn-entsoe-eu-wgedi-
3169   components.xsd"/>
3170   <xsd:include schemaLocation="urn-entsoe-eu-wgedi-acknowledgement-acknowledgementdocument-6-0-restricted-
3171   codes.xsd"/>
3172   <!--
3173       ENTSO-E Document Automatically generated from a UML class diagram using XMI.
3174       Generation tool version 2.0
3175   -->
3176   <xsd:element name="AcknowledgementDocument">
3177     <xsd:complexType>
3178       <xsd:annotation>
3179         <xsd:documentation/>
3180       </xsd:annotation>
3181       <xsd:sequence>
3182         <xsd:element name="DocumentIdentification" type="ecc:identificationType">
3183           <xsd:annotation>
3184             <xsd:documentation/>
3185           </xsd:annotation>
3186         </xsd:element>
3187         <xsd:element name="DocumentDateTime" type="ecc:DocumentDateTimeType">
3188           <xsd:annotation>
3189             <xsd:documentation/>
3190           </xsd:annotation>
3191         </xsd:element>
3192         <xsd:element name="SenderIdentification" type="ecc:PartyType">
3193           <xsd:annotation>
3194             <xsd:documentation/>
3195           </xsd:annotation>
3196         </xsd:element>
3197         <xsd:element name="SenderRole" type="ecc:RoleType">
3198           <xsd:annotation>
3199             <xsd:documentation/>
3200           </xsd:annotation>
3201         </xsd:element>
3202         <xsd:element name="ReceiverIdentification" type="ecc:PartyType">
3203           <xsd:annotation>
3204             <xsd:documentation/>
3205           </xsd:annotation>
3206         </xsd:element>
3207         <xsd:element name="ReceiverRole" type="ecc:RoleType" minOccurs="0">
3208           <xsd:annotation>
3209             <xsd:documentation/>
3210           </xsd:annotation>
3211         </xsd:element>
3212         <xsd:element name="ReceivingDocumentIdentification" type="ecc:IdentificationType"
3213           minOccurs="0">
3214           <xsd:annotation>
3215             <xsd:documentation/>
3216           </xsd:annotation>
3217         </xsd:element>
3218         <xsd:element name="ReceivingDocumentVersion" type="ecc:VersionType"
3219           minOccurs="0">
3220           <xsd:annotation>
3221             <xsd:documentation/>
3222           </xsd:annotation>
3223         </xsd:element>
3224         <xsd:element name="ReceivingDocumentType" type="ecc:DocumentType"
3225           minOccurs="0">
3226           <xsd:annotation>
3227             <xsd:documentation/>
3228           </xsd:annotation>
3229         </xsd:element>

```

VERSION: 1

```

3230                               <xsd:element name="ReceivingPayloadName" type="ecc:LongIdentificationType"
3231 minOccurs="0">
3232                               <xsd:annotation>
3233                               <xsd:documentation/>
3234                               </xsd:annotation>
3235                         </xsd:element>
3236                         <xsd:element name="DateTimeReceivingDocument"
3237 type="ecc:DocumentDateTimeType" minOccurs="0">
3238                               <xsd:annotation>
3239                               <xsd:documentation/>
3240                               </xsd:annotation>
3241                         </xsd:element>
3242                         <xsd:element name="TimeSeriesRejection" type="TimeSeriesRejection_Type"
3243 minOccurs="0" maxOccurs="unbounded"/>
3244                           <xsd:element name="Reason" type="Reason_Type" maxOccurs="unbounded"/>
3245                           <xsd:element name="TimeIntervalError" type="TimeIntervalError_Type" minOccurs="0"
3246 maxOccurs="unbounded"/>
3247                               </xsd:sequence>
3248                         </xsd:complexType>
3249                       </xsd:element>
3250                       <xsd:complexType name="TimeSeriesRejection_Type">
3251                         <xsd:annotation>
3252                         <xsd:documentation/>
3253                         </xsd:annotation>
3254                         <xsd:sequence>
3255                           <xsd:element name="SendersTimeSeriesIdentification" type="ecc:IdentificationType">
3256                             <xsd:annotation>
3257                             <xsd:documentation/>
3258                             </xsd:annotation>
3259                           </xsd:element>
3260                           <xsd:element name="SendersTimeSeriesVersion" type="ecc:VersionType" minOccurs="0">
3261                             <xsd:annotation>
3262                             <xsd:documentation/>
3263                             </xsd:annotation>
3264                           </xsd:element>
3265                           <xsd:element name="TimeIntervalError" type="TimeIntervalError_Type" minOccurs="0"
3266 maxOccurs="unbounded"/>
3267                             <xsd:element name="Reason" type="Reason_Type" minOccurs="0" maxOccurs="unbounded"/>
3268                               </xsd:sequence>
3269                         </xsd:complexType>
3270                         <xsd:complexType name="TimeIntervalError_Type">
3271                           <xsd:annotation>
3272                           <xsd:documentation/>
3273                           </xsd:annotation>
3274                           <xsd:sequence>
3275                             <xsd:element name="QuantityTimeInterval" type="ecc:TimeIntervalType">
3276                               <xsd:annotation>
3277                               <xsd:documentation/>
3278                               </xsd:annotation>
3279                             </xsd:element>
3280                             <xsd:element name="Reason" type="Reason_Type" maxOccurs="unbounded"/>
3281                           </xsd:sequence>
3282                         </xsd:complexType>
3283                         <xsd:complexType name="Reason_Type">
3284                           <xsd:annotation>
3285                           <xsd:documentation/>
3286                           </xsd:annotation>
3287                           <xsd:sequence>
3288                             <xsd:element name="ReasonCode" type="ReasonCodeType">
3289                               <xsd:annotation>
3290                               <xsd:documentation/>
3291                               </xsd:annotation>
3292                             </xsd:element>
3293                             <xsd:element name="ReasonText" type="ecc:ReasonTextType" minOccurs="0">
3294                               <xsd:annotation>
3295                               <xsd:documentation/>
3296                               </xsd:annotation>
3297                             </xsd:element>
3298                           </xsd:sequence>
3299                         </xsd:complexType>
3300 </xsd:schema>
```

3301 8.1.3 RESTRICTED CODELIST

```
3302 <?xml version="1.0" encoding="UTF-8"?>
3303 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:ecl="urn:entsoe.eu:wgedi:codelists"
3304 elementFormDefault="qualified" attributeFormDefault="unqualified">
3305     <!-- import the codelists -->
3306     <xsd:import namespace="urn:entsoe.eu:wgedi:codelists" schemaLocation="../../core/urn-entsoe-eu-wgedi-
3307 codelists.xsd"/>
3308     <!-- include the local message restrictions -->
3309     <xsd:include schemaLocation="urn-entsoe-eu-wgedi-acknowledgement-acknowledgementdocument-6-0-local-
3310 restrictions.xsd"/>
3311     <!-- restricted codelists -->
3312     <xsd:complexType name="ReasonCodeType">
3313         <xsd:attribute name="v" type="RestrictedReasonCodeType" use="required"/>
3314     </xsd:complexType>
3315     <xsd:simpleType name="StandardRestrictedReasonCodeType">
3316         <xsd:restriction base="ecl:StandardReasonCodeTypeList">
3317             <xsd:enumeration value="A01"/>
3318             <xsd:enumeration value="A02"/>
3319             <xsd:enumeration value="A03"/>
3320             <xsd:enumeration value="A04"/>
3321             <xsd:enumeration value="A20"/>
3322             <xsd:enumeration value="A21"/>
3323             <xsd:enumeration value="A41"/>
3324             <xsd:enumeration value="A42"/>
3325             <xsd:enumeration value="A46"/>
3326             <xsd:enumeration value="A49"/>
3327             <xsd:enumeration value="A50"/>
3328             <xsd:enumeration value="A51"/>
3329             <xsd:enumeration value="A52"/>
3330             <xsd:enumeration value="A53"/>
3331             <xsd:enumeration value="A55"/>
3332             <xsd:enumeration value="A56"/>
3333             <xsd:enumeration value="A57"/>
3334             <xsd:enumeration value="A59"/>
3335             <xsd:enumeration value="A94"/>
3336         </xsd:restriction>
3337     </xsd:simpleType>
3338     <xsd:simpleType name="RestrictedReasonCodeType">
3339         <xsd:union memberTypes="StandardRestrictedReasonCodeType LocalRestrictedReasonCodeType"/>
3340     </xsd:simpleType>
3341 </xsd:schema>
```